



Early European Books, Copyright © 2012 ProQuest LLC.
Images reproduced by courtesy of The Wellcome Trust, London.
3932/A






Early European Books, Copyright © 2012 ProQuest LLC.

Images reproduced by courtesy of The Wellcome Trust, London.

3932/A



Early European Books, Copyright © 2012 ProQuest LLC.
Images reproduced by courtesy of The Wellcome Trust, London.
3932/A



Early European Books, Copyright © 2012 ProQuest LLC.
Images reproduced by courtesy of The Wellcome Trust, London.
3932/A

[c. 15]

L

3932/A L

Macer Flondus

De virtutibus herbarum

[Paris]

Hain 10418 [c. 1506]

Proctor 8489

Par. iv. 156. 757 [Paris: 29 March 1511]

61-2 Last leaf wanting

Schubert 13/v/19
lot 1432
75/-

7105

1111/1

45154.

Wrote 2nd ed. see Panzer IV. 153. 752

who considers it of the 15th century.

Not complete -

minus 9 lines de Thure
and de Aloe

comp. 2^d ed. Ioan: Alrociarus

Basilia 1527. -

Hec est habet 33

lineas pagina plena

a-g 8 (last missing)

- Ple One

Mace

[u]

m

Hain
Procl
Pam.

Sot

7165

Herbariū varias q̄vis cognoscere vires
Hacer adest: disce quo duce doct⁹ eris.

*This book is not to be bought for
silver &c.*



Amilius Macerus

Tum bonis ambula.
Moris peccatorum pessima
Sic utere tuo ut alieno non egeas.



2
Macer floridus de viribus herbarum
Hic suo libello dat initium.



¶ Caput primum de arthemisia.

Mugwort

Herbar quasda dicitur carmine vires
herbar mfez edit arthemisia nome
Cui grecus fmo iustum puto ponere pmo,
Huius opem fertur ptoz inuenisse diana
Arthemis grece que dicitur indeq nome
Herba tenet: quia sic inuetrix dicitur eius

Precipue morbis mulieribus ista medetur.
 Menstrua deducit eius decoctio sumpta. p̄mēstruis
 Hocq; facit matrix si sepe fouetur eadem.
 Vel si cruda mero sociata terendo bibatur.
 Aut si tritavirēs super aluū nocte liget. p̄ abortiuo
 Pellit abortiuū potu vel subdita tantū
 Duricias stericas soluit: pellitq; tumorē. p̄ tumore
 Urina potate ciet: lapidesq; repellit. Pro vrina.
 Pteriscosq; iuuat cum vino sepius hausta. p̄ ptericis.
 Hanc adipis iunctā strumis apponere laudat
 Plinius: atq; iubet cum vino sumere tritam
 Nec opium nimium si quēq; leserit haustum.
 Subuenit eximie: si vino iuncta bibatur.
 Affirmant quidam quisquis gustauerit illam
 Quod nullo valeat nocuo medicamine ledi.
 Et q̄ cū morfu nō appetat olla ferarum.
 Radix illius collo suspensa rubetis
 Dicitur et cunctis nocuis obistere ranis. Cōtra ranas
 Succad hoc ei? cū vino p̄derit haustus
 Si mixto contrita recēs seruabitur herba
 Vinum p̄dedit reddit medicabile morbis
 Et sapor est et odor vino gratissimus illi.
 Cōfortat stomachū sanat p̄cordia sūptū. p̄ stomacho
 Et multis aliis affirmant vtile causis.

¶ De abortano capi. ii.

Tertius abortano legit eē gradus caloris.
 Et desiccādi semē feruētis herba ē p̄ nervis et
 Unde iuuat nervos et causas pectoris oēs. pectore
 Illius elixi si sit decoctio sumpta
 Sic q̄q; disuocis p̄ uest tussiq; repellit. Disuocis sūt
 Et p̄dest lūbis: sic vuluarūq; q̄relis. suspiriosi.
 Qib; his crudū cū vino p̄derit haustū. p̄ tussi lūbri
 Urinā purgat. sic et p̄cordia mundat. cis et vulua



Sic carnis scias, sic sūptū mēstrua purgat. De vrina
 Serpētes nidoze fugat, bibitūq; venena sciasis ē mor
 Illozū extinguit sedatq; frigora febris. b^o corarū.
 Ante q; veneant, si mixto sumatur amne. De febre
 Aut oleo quo decoquitur si mēbra perungas
 Rubricos vētris hāc sepe bibēdo necabis. p^o libzicis
 Huic panis micas ⁊ mala sindonia iūgens
 In simul āne coquēs: oculorū cocta dolori. p^o oculis.
 Apponas, vel feruori: curabit vtrumq;
 Stripes infixas ⁊ spinas abstrahet ipsum De spina
 Appositum per se et a de p^o si iungitur illi
 Nec etiam venerem puluino subdita tantū p^o venere.
 a iiii

Inicitat et ventris nocuis potata resistit. p ventre.

¶ De absintio cap. iiii.

In pmo calor eē gradu vis sic casco p stomacho.
Et absintii stomachū corroborat herba



Illius quoq; modo q̄s sumpserit illam.
Sed melius plaine si sit decocta liquore.
Et sic sub diuo prius infrigidata bibatur.
Sic poterit variis ei⁹ succurere morbis
Hocq; modo pellit lūbricos mollit ⁊ alui. p lūbric⁹
Et imodici sedat sic sūpta dolorem. et ventre
Aurā potu producit mēstrua soluit. p vrina
Nullū nardum quā profert gallia iungas

4

Et coniuncta teras: et malsa trita resoluas.
 Precipue tali purgabis menstrua potu.
 Hoc quoque prestabunt cum lana subdita molli.
 Si siler et nardus et acetum iungitur illi.
 Moria detergas potu fastidia tali. p fastidio
 Gramina si rute iungas huic salque piperque
 Cumque mero totides des hac decoctave potu.
 Moris et crudus stomachi purgabit humor p stomacho
 yri coniuncta pectus mire iuuat hausta.
 Acri cum vino trita se quilibet iungens.
 Homo metuat culices. vltique fungant odore p culicibus
 ptericis crudam dabis hanc apio sociatas. p ptericis
 Curat epar sibi iugant si gallica nardus p epate
 Splenque sibi iuncto potata iuuabit aceto p splene.
 Sic quoque fungorum depellit superavenenum. p fungorum
 Obsta letifere cum vino supra cicute. p cicuta
 Sicque venenatis occurrit morsibus hausta.
 Et clares oculos reddit cum melle perfrictos. De oculis.
 Hocque modo sugilatis superaddita prodest.
 Decocteque vapor obstrusas liberat aures De auribus
 Si manant sanie cum melle teres superadde.
 Subuenit anguine molli nitroque iugata
 Vulneribus prodest contrita recentibus illa. p vulnere.
 Si superaddat capitis scilicet vulnera curat. p vlcere ca-
 Pruritusque iuuat eius decoctio fotu. pitis.
 Hausera non poterit quemque vexare marina De pruritu
 Antea commixta vino qui supererit illam. ex scabie.
 In lini panno si circumcincta geratur. p nausea ma-
 Anguinis immodicum fertur cohibere tumorem ris.
 Olfatum sonum capiti vel subdita prestat. p somno.
 Hanc sibi supponi si non presenserit eger.
 Denigrat crines cinis eius si bene mixtus. De capillis
 Ceroto fuerit et eo sit sepe perunctus. nigredine.

Et tinea tritam reddit q̄ cū dicit arcā Cōtra tineas
 Sub lingua factum curat cū melle tumorē
 Luvorēque nigrū q̄ circa luminis orbē p̄ liuore ocu-
 Apparere solet purgabit idem medicamen lozum
 Auris depellit sonitū: cū felle bouino p̄ sono auris
 Duritiā splenis et cathapsalma resoluit de duritia
 Coniunctio sibi melle stercē si subdit herba. splenis
 Desiccabit eā manareq; mēstrua coget. p̄ mēstruo
 Ex oleo fuerit viridis si cocta iuuabit.
 Ad modice stōacho. q̄d erit hoc vngnē fotū
 Incaustū vino quo sit macerata resolue. p̄ stomacho.
 Si scribis cartā. mus nō teret āplū illā p̄ incausto cō
 Plinū attollit magnis hāc laudib; herbā tra mures
 Romanosq; refert sacris et more diebus
 Dum quadrigarum cursu certare solerent.
 Absintii succum solitos donare bibendum.
 In capitolina victori sede locato.
 Credētes preciū pre cunctis reddere dignum
 Illi qui firmam posset seruare salutem.
 Que constat mundi precio preciosior omni
 ¶ De vrtica. cap. iiii.

Drim; vrticā quā grec; acalife dicit
 Feruida non modicevis illi dicit esse
 Unde nec imerito nomē sūpsisse videtur
 Tactaq; exurat digitos vrtica tenentis
 Hec solet p̄ctericos cū vino sūpta iuuare p̄ p̄ctericis
 Illius semē colicis cū melle medetur. De colicis
 Et tussim veterem curat si sepe bibatur p̄ tussi
 Frigus pulmonis pellit. v̄trisq; tumorē p̄ pulmōe
 Sibi his p̄dest puluis cū melle iugatus
 Aut succus viridis cū vino sepi; haustus.
 Cū sale de foliis eius factū cathaplasma
 Ulcerib; p̄dest. ⁊ sordida vulnera purgat. p̄ vlcere et



Et 3 morſus h cataplasma caninos vulnere
 Et cancos ⁊ perotidas lixataq; curat. p morſu
 hocq; reformat caro q̄ diſceſſit ab oſſe canis
 Et ſolet humores hoc deſſicare nocentes
 Alci cum vino radix contrita tumorem
 cōpeſcit ſplen; podagre ſic ſubuenit illa p podagr
 Dibi ⁊ morbis ſic ſubuenit articuloꝝ p articulis
 Omnibꝫ hiſ pdeſt ſup additavel ſibi iuncta
 Si coq; hāc oleo foueaſq; hoc vngue mēbra
 Haribꝫ impoſitꝫ ſuccus foliūve cruozē
 Elicit: innata viſ eſt ſibi tanta caloris
 Quod ſi manentem cupiaſ retinere cruozem

Artice succo frontē line repulit illum At retineat
 Si supponat cū mirra mēstrua pellit sanguis.
 Si claudit vuluā matrix humore grauata De mēstruo
 Artice folius reuocabitur illa fricata
 Cū vino bibitū venerē semē mouet eius pvenere
 Et melius trite si iūgas melq̃ piperq̃
 Et sic cum vino p̃dicto more bibatur
 Pleureticos pect̃ pulmones adinuat ei
 Semen si sūptū fuerit cū melle iugatū
 Cum mulsa bibitū locū pducit abūdās. De puoca-
 herba recēs ei oleū si more coquatur tione vrine.
 Deē. ⁊ illi decoctio molliet aluum p dūro ventre
 Ore diu clausus succus si voluitur eius
 Que nō modicū poterit sedare tumorem. p tūore vne
 Sudorē mouet ex oleo decocta punctis De sudore
 Si quadrupes q̃q̃ marē pferre recusat p venere
 Artice folius illius vulua fricetur quadrupedum
 Sic naturalem calor excitat ille calorem
 Defluuium capitis si succo seminis hui⁹ p fluio ca-
 Angas sepe caput. rep̃mit dicit galien⁹ pillorum
 Illius semen collectum tempore messis
 Et desiccatum multis erit vtile causis
 Oibus his p̃dest puluis cū melle iugatus.

¶ De aliis. cap. v.

Sordeō argine sūt alia dicta latine
 hui⁹ vim medici calidā siccāq̃ periti
 In q̃rto posuere gradu māsū ṽl inūctū p morſu
 Curat. q̃s serpēs ṽl scorpi⁹ itulit. ictus serpentis.
 sanat ⁊ appositū morſ⁹ cū melle canios p morſu cais
 Et vocem. vermes solo pelluntur odore De voce ⁊
 In mulsa coctū cōmixtum cui sit acetum x̃mibus.
 Et bibitū vermes cētris tineasq̃ repellit p x̃mibus.
 Ex oleo cum tesse sua si decoquis illud et tineis.



Dolor: pelli feros reades hoc vngue saos p morsu pe
 Anguie vesice dolor: et timor hoc repmū siifero p do
 Corp' et attritum cura sanabis eadem lore vesice
 Ipse refert ypocras educi posse secūdas p scdis emis
 Sumo cōbusti stivulua diu foueatur sis p'ptum
 Pulmonis varias coctum cū lacte qrelas p pulmōe
 Potatūq iuuat vel crudū sepe comestū
 Cū centaurea diodes dare pcepit illud
 ydropicis. sic humores desiccat aquosos p ydropicis
 Idē nefreticis elixum sumere iussit p nefreticis
 Pictagoras illo fuit visus cū coriandro
 Et vino causas sic curans ptericorum p ptericis

Et sic potatum dicit q̄ molliat aluum
 Cūq̄ faba coctū capitis sedare dolorē p̄ vētreburo
 Dicitur. attrito si tempora perlinis illo p̄ capis do
 Anseris huic adipē iūgas tepidūq̄ dolētī lore
 Infundas auri p̄reclare subuenit illis. p̄ aure
 Elixum tussim iuuat. et suspiria sedat De tussi.
 Clarificat raucā crudū coctū q̄q̄ vocem p̄ voce
 S; magis elixū iuuat illā sepe comestum
 Adiuuat incoctū pulti sumptūq̄ tenesmo De tūore
 Porcino iūgens adipi si conteris ipsum
 Mō modicos resmes supaddēs sepe tumores
 hunc ignotaz potus. non ledit aquarum Cōtra aq̄
 He. diuer forū mutatio facta locorū rū potus
 Zillia qui mane ieiuno sumpserit ore.

¶ De plantagine. ca. vi.

H Erba q̄ n̄ra lingua plantago vocatur.
 hāc arnoglosā grec vocat quia lingue
 Agmine similis foliis. plantagnis huius
 Sunt gemine spēs: et maior p̄ma vocatur.
 Altera vero minor. quā vulgo lanceolatam
 Dicūt q̄ foliis ut lancea surgit acutis
 his infrigidādi desiccandiq̄ notatur.
 Tertius esse gradus. maiorivī tamen esse
 Maiorē dicūt. n̄ mis hūida vulnera siccāt p̄ vulnere.
 Si supaddat cū metle. ⁊ sordida purgat
 Dum sale sicut ol⁹ iūcta coquatur aceto
 Vētrē restringit nimīū sic māsā fluentē p̄ fluxu vētrē
 Si supradictis lens sit decocta iuuabit
 hic dissintericos mel⁹ cib⁹: et ciliacos dissinterici se
 Srigit manātē supaddita trita cruorē emittētes s̄
 Et nigris maculis serē reparare cruorē guinē p̄ anū
 Qui cū lachrimo mire medicat aduſos p̄ maculis.
 Sola canis morsū curat cedatq̄ tumorē p̄ mor. caie



Et serophas spgit supaddita cū sale trita p serophis
 ydropicis ol decocta comesta qz pdest p ydropicis
 Sic iuuat asmaticos fert opiuare caducos p caducis
 Sordida purgabit bñvulnera qlibz oris de oris vul.
 Ore diu tētus si succus voluit eius De fistula
 picintraofusus curat si ringia succus De aure et
 Et dolor hoc auris sedat et sacer ignis sacro igne
 fert emoptoicis hic opē si sepe bibat emoptoici se
 Per se fortior ē si sit coniuncto aceto spuētes san
 Siqu iuuat ptiscos iieci? xop annum guinē ptisci
 Brigit nō modicū fluxū dissintericorū. si deficiētes i
 Delliē ex ocul tumor h feruorqz pūct? eiiciēdo hūorē

Sepi hanc ipsam si detib' atteris herbam p'tiore octoz.
 Gignas repmet tumidas et sanguine plenas. p' gignis
 Sicq' solet detis copescere sepe dolores p' detibus.
 Succus lana matri subditur eius Et mēstrua re
 Stringit manātē nimium siccando cruozes tinea'tur
 Lunctis p'dictis eius decoctio causis
 Prodest et potus cum vino seminis eius
 Desice renūq' iuuat potata dolorem p' vesica et re
 Dicit nō nasci scrophas gestatib' ei' iibus
 Radice collo suspasaz: vis sibi tanta est. p' scrophis
 Radices eius tres cōtere: iungito tritis. ad febrem
 Ani tres sciatis: et aqua fac sit modus idē tertianā
 Hec nondū tremulo potāda dabis febrilei
 Sic pelles febrē cui dat lux tertia nomen.
 His bine quoq' quaternis p'desse putant
 Cū totidem vini ciatis si detur et amnis Ad qrtana
 Lūcta potest plātago mior p'dicta iuuare.
 Quāuis nō tantas vires videatur habere
 Precipue succus curat plantaginis huius
 Quō iuxta nares vel lumia nascit' vlcus p' vlcere in
 Si sup' addatur cū lanis mollibus illi ta nares
 Perq' nouē cathaplasma dies istō remouet' oculos
 Eius si succo tepido venter foneatur p' ventre
 Acri depulso sanabitur ille dolore
 Lubricos succus depellere dicitur eius ad lubrico
 Si porcina vetus arungia iungitur illi.
 Sedabit duos istud cathaplasma tūores p' tūorib'
 Parotidas vuln'q' recēs hoc adiuuat vnguē du
 Ante duas horas qrtane q' tremor egrū Ad febrem
 Aeret. si succum biberit plāraginis hui' qrtana
 Sentiet eximiam facili medicamine curā.
 Eius potatum depellit sperma secūdas p' scdis
 Sivia lōga pedū mouet' ut sit sepe dolorē p' dolorē

8
 Aeris cum vino supaddita trita suuabit
 Cum passo succus bibitur si sepius eius
 Desce variis fertur succurrere morbis pedum
 In desiccando vis est plantaginis ingens p vesica
 Maiori queat ut veluti cauteria corpus
 Appositum siccare refert ut plinius actor
 Composuit librum themison de viribus eius.
 In quo preclaris celebrauit laudibus illam
 ¶ De ruta. cap. vii.



Rutae vis feruida dicitur esse
 Siccaque ferit in his gradus illi tertius esse
 Attilis eua id est stomacho si sepe bibat p stomacho

Expellit partū potu: venerūq; cohercet pvenere
 Tussim si bibi cōpescit: mēstrua purgat p tussi r mē
 Stcoqs hāc in aqua cui vinū iūxeris acre struo.
 Cōpescit talis decoctio tormina ventris p tormine
 Pulmones iuuat: r pect' morbosq; medet ventris
 Costarū quā pleuresim vocat artiq; ligua ppulmōe.
 Arteticos cīasimq; iuuat: febriq; medet p pectore r
 haustavel in oleo viridē si coxeris illam costis
 Et foveas tepido patientis ance tremorē p remib' et
 Matrici pdest intestinisq; tumori cora
 hocvnguentū vel clisterio si fundit intus p matrice.
 hausta q; cū vino prodesse valebit vtriq;
 Lumbricos oleo decocta q; potata repellit.
 Cum caricis decocta diu viniq; liquore
 Proderit ydropicis si sup' addita nocte p ydropi.
 Cruda comesta recēs oculos caligie curat pro ocul'
 Et melius maratri cum succo felle q; galli
 Melle q; si succus ex equo iungitur eius
 Inde q; sint oculi patientis sepe peruncti
 Cum roseo miscens oleo nec non vel aceto
 Illius succum capitis curare dolorem
 Quāvis i modicū poteris hoc sepe pungens.
 Narib' exp'is si succ' subdit' eius pro fluxu san
 Sistit manātē bñ desiccando dolores guis p'nares.
 In corio malignanati si sit tepefactum
 Aurib' infūdas depelles inde dolorē p auribus.
 Ceruse roseo q; oleo miscens et aceto
 Illius succum mirandū conficis vnguē.
 Ad depellādū sacrū quē dicim' igned p igne sacro
 Et scabiē verte. que dī herpeta grece. p vertis.
 Et grece dictas acoras hocvngule purgas. p acoris
 Alcera sūt capitis hūore fluentis pignū p vlcere ma
 Curat r hoc ozimas imissū narib' hec sūt rium

Que grauer fetent in maribus vlcera nata
 Obsit pora nimis v' cruda coest auenem' ad venena
 Hoc mitridates rex poti sepe probauit.
 Qui rute solus viginti cum sale pauco
 Et magnis nucibus binis caricisq; duab;
 Sicubus ⁊ binis geminaq; inglandi.
 Jeumus vefci consurgens mane solebat
 Armarusq; cibo tali quascūq; veneno.
 Quilib; illidias sibi tenderet aut metuebat
 Mustelleq; docent obsistere posse venenis
 Mirifice rutam comedūt q̄ pmitus illaz
 Cum pugnature sunt cū serpentib; acris
 Cū butyro modicoq; oleo decocta tūorez
 Matricis subiecta tepēs fugat illa coliq;
 Et cunctis int' morbis sic subdita pdest
 Hac etiā testes poteris curare tumētes
 Cū folius lauri bene trita s' supaddes.
 Ex hac antidotū nō paucis vtile causis.
 Conficitur. medici dicūt diapi ganon illud.
 Piganon in greca lingua q; ruta vocat
 Illius antidoti cōfectio talis habetur.
 Pōdere iūge pari nūtrū piper atq; ciminū
 De trib; his q̄tū de ruta ponito tantū.
 Sed pri' ex acri vino macerare ciminū.
 Conuenit in ferro post assari calefacto
 Dia deide sū bene trita cū melle iugabis
 Pectoris ⁊ lateris iecoris renūq; dolores
 Hoc ex antidoto curantur sepe comesto.
 Extenuat pinguē. molit sic tormiēvêtrē
 Cōfortat stomachū facit vt bñ digerat escā
 De apio. cap. viii.
 Est apiu dictū qd apex hāc ferre solebat
 Victoris vetex fieret dū more trisiphus

bi



Ipse sibi talē prior imposuisse coronam
 Dicitur alcides. morem tenere sequētes.
 Est alii dictum credūt. q̄ apes vehementer. Q
 Istius soleant auide decrepere flores.
 Hāc herbā selmon solet actica dicere lig
 Virtutis calide sicce quoq̄ dicitur esse
 Tertio a medicis dat̄ est grad̄ hic i vtroq̄
 Illi succo si candida mica terendo p̄ tumore ocu
 Panis iungatur oculis sedare tumorē lorū
 Dicitur emplastri noctu supaddita more. p̄ tumore
 Sicq̄ for sit māmīs p̄desse tumētib̄ illā māmārū
 Sedat feruorem stomachi. pellitq̄ tūorē p̄ stōacho

10

Et quicquid ventus creat includit ve noxiū
 Desicans poris assumpta repellit apertis
 Prouocat vias hec cruda cōesta v^l hausta De vrina
 Sed mage radicuz facit hunc decoctio sūpta
 Hoc itidem semen operat foris haustū p. morfu ve
 Tota. venenatis occurrit morsib⁷ hausta nenoso.
 Sed semē poti⁷ v^l apozima pderit ei⁷ Apozima id
 Si bibatur. tūsiq⁷ modo sedabit eodē est decoctio.
 Aētrē cōstringit. vomitū potata cohercet p ventre et
 Limphe comestū sibi si iungatur acetum vomitu.
 Egris amissū fertur reparare colorem De colore re
 Cruda ieiunis fuerit si sepe comesta cuperando.
 Una quaq⁷ die verātem corpora febrem. p febre q⁷
 Cū linpha potata iuuat febris añ trēozem tidiana
 ydropicos. z splē tumidū iuuat illa iecurq⁷ p idropi
 Si cum fenculi succo cōtrita bibatur cis.
 Macq⁷ supposita inrpis lentigo fugat p lentigie.
 Illius succo farris cum poline mixtus.
 Atq⁷ qui lacrimo vuln⁷ bñ purgat z vlc⁷ p vulnere
 Si sup addatur emplastri more frequēt vlcere.

¶ De malua siue altea. cap. ix.

Alteam malue speciē nullus negat eē
 Alteāq⁷ vocant illā: q⁷ crescat i alitū
 Hanc ipam dicunt eulscū q⁷ quasi viscus
 Illius radix contracta madere videtur
 Agrestis q⁷ solet a multis malua vocari
 Binulsa coctus flos ei⁷ vulnera purgat p vulnere.
 Vel si cum vino tritū florē sup addes
 Spargē sic scrophas. anūq⁷ iuuare dolorē p scro
 Decitur hocq⁷ modo cōquassat⁷ medicat phis z ano
 Elirata pr⁷ radix ad ipi⁷ terēdo
 Addita porcino terbentineq⁷ tumores
 Matric⁷ curat. reliquosq⁷ iuuare dolores matrice

b ii,

Marsh mal



Dicitur. illius nervos sic ipsa relaxat
 Rūpīt vīl spergit sic apostemata dura de apostemata
 Omnes has causas elixatura iuuabit
 Sic loca morborū foueantur. sepe tepētī
 Et dissintericis radicū coctio sūpta p dissinteri-
 Cum vino fluxum sanguinis cōpescit eorū cis.
 Et pellit tardas hec coctio sūpta secūdas psecūdis
 Et pdest emoptoicis. lapidesq̃ repellit pemopto-
 Aescicq̃ solet variis succurrere causis cis.
 Acri cū vino contritū semen oliuo
 Plūgito deformes maculas hoc vnguīe pelles pmaclis
 Cū pusca potata potest obstare venenis p veneno.

Elixata p^{er} cum melleq^{ue} trita repellit
 Vulnera: q^{uod} causa f^{uerit} sit supaddita sepe p^{ro}vulnē cauo
 Sic q^{uod} duricias mollit. lenitq^{ue} rigores p^{ro} duricta
 Decoctis oleo foliis factū catapsalma p^{ro} morfu pe
 Quosuis pestiferos morsus cōbustaq^{ue} curat siifero
 ¶ De aneto. cap. x.



A Medic^{us} calidū siccūq^{ue} refertur anetū
 Et dicūt q^{uod} si grad^{us} hic iⁿ vtroq^{ue} scōus
 Rac dat abūdāter ei^{us} decoctio sumpta Et nutrita
 Nutrici s^{ed} achiz solz depellere morbos abūdet lo
 Tres sciatos ei^{us} repide si sūperit eger cte
 Indicio ruptus est q^{uod} demonstrat apertū

De stomachi vitiis p hoc exisse nociuū p stomacho
 Atq̃ graui tali sedatur nausea potu. p nausea
 Prouocat vrinā obstitia queq̃ repellēs p vrinā
 Matricēq̃ iuuat. bñ si foueat eadem p matrice
 Cū tepida tritū patiens si poterit anetū p vtre et
 Intestinoꝝ curat vtriusq̃ dolorem intestinis
 Nocetiam potu degestio tarda iuuat. p digestioe
 Andeminor fieri. vis egestia videtur
 Assidue bibitu visū nocet ⁊ genitale p visu ⁊ ge
 Claudat iter siccat humore semis int⁹ nitalibus
 Si nimis venter turgens humore gnetur p vtre.
 Suspendit puluis cōbusti seminis eius.
 Apposit⁹ digitis. aut intus clistere fusus
 Acrior eē cinis radicū dicitur eius
 Rodit crescētes cinis hic i vulnere canes Devuner
 Ulcera que serpūt ⁊ sordida vlcera curati b⁹ sordid⁹
 Ulcera p̃cipue membri curare virilis. p vlcere vi
 Dicitur iste cinis infusus sepius illis rili
 Olfatū reprimit singultū semen aneti p olfatu.
 Assatum et feruens si sepius olfacit eger
 Dicit feruore oculorū tollere posse. p oculis
 Eius radices tritas prius apostasq̃
 Apponas emoroidis sic semen aneti p emoroid⁹
 Astū curat eas et cōdilomata soluit.
 Flos oliuo si decoquitur. medicabile reddidit.
 Illud p̃cipue morbis de frigore nat⁹ p morbis frī
 Prodest ⁊ capiti cōpescit sepe dolorē gid⁹. d capite
 Nervorū laxat tensuras frigora pellit p nervorū tē
 ¶ De betonica. cap xi. furis.
 Betonica soliti sūt cesserō dicere greci
 Vrinā potata ciet. lapidesq̃ repellit p vrinā
 Fert emoptois cū pusca sūpta iuuamen lapide.
 ydropicos siccāt cū vino melleq̃ sūpta p emoptois



De foliis eius trita factū cathapsalma **pydropicis**
Nō modicū pdest oculis q̄s leserit ictis **p ocul̄ leſis**
Illius succus roſeo cōmixt̄ oliuo
Aurib⁹ infuſ⁹ varios fugat ide dolores **De aurib⁹**
Betonice puluis cocto cū melle iugat̄
Empicos. iuſſiq; iuuat: ⁊ ſuſpiria ſedat **p tuſſi ⁊ ſu**
Et ſtōach⁹ varios ſūpt⁹ iuuat ille dolores **ſpīrio: p**
Si febris ē calida cū vino ſi febr̄ abſte **ſtōach⁹ p ſe**
Cū mulſa bibitus idē puluis mouet aluū **bre calida**
Cū ſale cōtrit⁹ foliis cathapſalmate facto **De vetre**
ſulnera curabis. fuerintq; facta recēter
Criſtaq; fracture capitis hec ſola medet̄

De foliis ei⁹ elixis fit catapsalma
 Utile non modicū variis vicus oculor⁹ p oculis.
 Restrigit lachrymas oculor⁹ māsa v^l hausta p oculis.
 Hac etiā caligo solet metuēda repelli flētib⁹. p calig⁹
 Equo cū rupta fuerit si pōdere iuncta glossis.
 Et sic cū linpha sumatur trita tepēti
 Sic oculis nocuus sanguis p⁹ suptiliora p oculis.
 Dicitur expelli. sic luīa libera reddit.
 Sūpta hac cū tepida purga vomica dīra devomica
 Pectoris et morbi potu curantur eodē p pectore.
 Splen iuuat illi⁹ decoctio sūpta. iecurq³ p splene
 Ancia betonice sociand⁹ q̄terna vetrici p iecore.
 Cū vini ciatis trib⁹. et his sint addita grana
 Aligintiseptem pīperis simul hec bñ trita
 Hausta q³ purgabūt renes pellētq³ dolores p reni
 Ancia cū ciatis calide potata duabus bus.
 Dicitur imodicū ventris sedare dolorē p vētre.
 Nec tussī cū melle fugat: vētrē q³ mollit
 Anaqua q³ die febre si verabī eger p febre quo.
 Ancia iungatur plātaginis vna duabus tidiana
 Betonice. sic cum tepida trita bibatur
 Antea q̄ febris p̄nūcia frīgora fiant
 Ancia betonice calide ciato resoluta.
 Prodest ydropicis. si sit potata frequēt p ydropicis
 Radicū puluis cū mulsa tritus et haustus
 Humores velut elebor⁹ vomitu cito purgat
 Bis binas dragmas. precepit plini⁹ hāc
 Radicū dare passo mulsa ve bibendas
 Precepue flegma vomis purgabī isto p flegmate
 Cū mulsa bibit⁹ puluis prodest folior⁹ de ruptis
 Ruptis. atq³ steras pot⁹ leua⁹ iste cadētes
 Cū vino sūptis obstat potata venenis
 Precipue semen quod si desit detur herba
 Ancia betonice cū vino sūpta tepēti.

ptericos curat. cū mulsā mēstrua soluit p ictericis
 Pondere xō fabe puluis cū melle vorat? mēstruis.
 Post cenā stōachū iuuat vt bñ digeratescā p digestōe
 Si de betonica vlrīdī sit facta corona.
 Circa serpētes. vt plinius asserit actor
 Eludebūt nūq̃ positā transire coronā
 Sed morſu pprio peresit ⁊ verbere caude
 Om̃ibus antidotis monia eam sociari
 Precepit. vt stōacho magis herbis oib⁹ aptā p stōacho
 Plin⁹ hanc inquit q̃ secū gesserit herbā Cōtra icā
 Anullo poterit nocuo medicamēte ledi. tationes.
 Et dicūt. q̃ ea cū vino sepi⁹ hausta. De plūbeo
 Plūbeus abscedat color ⁊ melior reuocet colore.



¶ De saulina. cap. xii.

Bateos grece saulina vocata latine
 Sicca calens sibi vis est teru? illi
 Est i viroq; grad? vln? cū melle v? vlc? p vulnere z
 Fortiter exitant: et sordes purgat eoru? vlcere.
 Sic iuuat atratas bonaq; plebs vlcera st
 Mēstrua deducit corruptos extrahit aluo. p mēstruo
 Cōceptus si cū vino sit sūpta frequēt
 Vel si tri? prius matrici subditur ori
 Cerotis amicta cutē facit esse nitentē
 Omnib? z pdest morbis s. frigore fact? p morbis
 Illi? in vino vel aqua decoctio curat frigidis.
 Quos vertigo nocet. si lutū sit caput ide p vertigie
 Verbaq; tūporib? et frōti cocta ligetur
 Duplū saune si defunt cumania poni
 In medic amētis iubet vris bassus actor.

¶ De porro. cap. xiii.

In multis causis vsus medicamie porri
 Dicitur pocras medicie maxim? auctor
 Illi? succū solū dedit ille bibēdū.
 Egrotis. qui reiciunt sputant ve cruorē
 Quos emoptoicos soliti sūt dicere grece semoptoi
 Cum gassa dant hunc alii thuris ve farina cis
 Aut geminis dragmīs porroz seminis vnā
 Apponūt mīrre vīnoq; trita resoluunt
 Pre cunctis aliis dicunt hec sūpta iuuare
 Manatēq; potes naris retinere cruorē
 Intus si nares vngas medicamie tali p fluxu sanz
 Confractas vuluas succo curabis eodē guis p nares
 Reddit fecūdas mansū persepe puellas p vulua cōz
 Ulcera cū melle tritū iuuat. apsostrūq; fracta. p fe
 Humorū capitis si distillatio fiat. cūdis mulierū
 Pulmōnes pectusq; nocēs vocēq; canorē p vlcere
 Inde q; cōsurgat tussis p cordia ledēs p tussi.



Cum tiffana porri succū sorbere iunabit
 Etp se solū prodest his cibus ipsū
 Si porri partes in vino coxeris albas
 Sicut aquā primā mutes addasq; scdas p durō vētre
 Utilis eius aque duro sit portio vētri d vētre mollā
 Dicitur hec eadem cū vino strigere vētrē
 Cū vino porri dat hic qd leserit āguis p morfu ve
 Quolibet aut aīal fundēs lērale venenū nenato.
 Nec nimis his pdest sīuulnerib? supaddas
 Si velut emplasti ū porrū cū melle subactū
 Cōmixtus porri succus lacti muliebrī
 Et bibitus tussim ferē sanare vetustā p tussi.
 Et variis vicis pulmonū subuenit idē p pulmone

Auris cōpescit cū capre felle doloem **De aare.**
 Prestat idem pariter cū mulla tritus. ⁊ auri
 Infusus tepid⁹. fūgis (si mādatur obstat
 Et iungat succo pars tertia mellis
 Et sic p nares tepidū fūdēdo v̄ aures **p naris⁹ ⁊**
 In mē sū poteris capitis sedare doloem **aurib⁹.**
 Cū vino labat hūc. lūboz quē dolo agit **p capite**
 Dicūt vtilius tali nichil esse dolozi **pro lūbis.**
 Fracturas solidat cito. duritiasq; relaxat **tra fractu**
 Appositū vuln⁹ q; recēs cito cū sale claudit **ras. At**
 Sic crudū fuerit sūptū leuat ebrietatē claudat vuln⁹
 Sic venerē simulat. sic durā moliet aluū: **Cōtra ebri**
etatem.
¶ De camomilla. cap. xxiii.



Athenū magnis p̄mēdat laudib⁹ actor
 Asclipeus quā camomilā nos vel p̄momilā
 Dicunt⁹ hec m̄lū redolens ē ⁊ brevis herba
 Verbe tam̄ similis: q̄ iusto noīe vulgus
 Dicit amarissā q̄ fateat: et sit amara
 At collata sibi vix discernatur odore
 Ductores dicūt species tres illius esse
 Quas sola florū distigui posse colore
 Tradūt. est cūtis medi⁹ flos aureus illis
 Sed varius foliis flos circūcingitur ille
 Albi vel nigri sūt purpurei ve coloris
 Dicitur athenus prope cuius foliorū
 Purpureus color est. maiorq; ⁊ fortior est
 Et lauarihemē foliis deprenditur albis
 Mellin⁹ crisantenū est vis oībus illis
 Sicca calēsq; gradu primo cōceditur esse
 Prouocat vrinā cum vino quelibet hausta p vrina
 Hescē frangit lapides et mēstrua purgat p lapide
 Si foueat aqua matrix qua cocta sit herba p mēstruo
 Aut si cum vino poterit sepius illa
 Tormia sic sedat stōachi⁹q; īflatio potu p stōacho
 Pellitur tali scamās devultibus aufert p scamis
 Si tritā apponas solā melli ve iugatā in vultu
 Ctericis prodest ei⁹ decoctio sūpta p ptericis.
 Et mire iecoris prodest potata querelis p iecore.
 Pellē cū vino potata refertur abortū de abortiuo
 De oleo cocta fouea si febricitātē pro febre.
 Rigus depelles. febrē quoq; sepe fugabis
 Inguie purgantur p̄pocūdria turgida talē
 Destiferos morsus sp̄tū pōdere dragme
 Cū vinop̄hibet athenus sūpta nocere
 Dlinius affirmat hanc quadraginta dieb⁹
 Na quaq; diebus sūpta pōdere dragme

Cum geminis ciatis vini subtilis et albi
 Conloto sensim totū purgare lienem
 Egilopas curat. si quis comastice ulā pegilopia
 Et sic apponat sic ulcera sordida purgat p vulnere
 Emolire caput febris feruore grauatum sordido
 Sepe solet vel collectis humoribus in se
 Ulcera producit vocat exatimata grecus
 Nec decocta virens oleo camomilla repellit
 Quod si defuerit viridis. maceretur aceto
 Et caput ide lauet. nullū magis adiuuat vnguz
 ¶ De nepta. cap. xv.



Quæ Erba quæ neptâ vlgari more dicam?
 hæc medici greco calamiti noie dicunt
 sicca calesq; sibi vis est et tertius illi
 est in utroq; gradus. cū multa sepe tepenti.
 sumpta solet totū sudore resolvere corpus
 et oleo quo sic decocta perunge fricādo
 illū vincture metuitq; frigora febze p febre.
 Non frigus tantū. sed febze sepe repellit
 illi qui ictus in patitur coxe supadde De sciast.
 contritam viridē. fertur cōburere pellē
 et sic humores siccādo fugare dolores
 imposita potuq; suo cito mēstrua purgat p mēstruo
 et lepre species elephaciāsiq; vocatur p lepra.
 Que cūctis morbis maior sic esse videtur
 et maior cūctis elephas aialibus extat
 dunc in principio morbi pot; calamētis
 cū vino curat humores externuādo
 Serpētē morius superaddita trita nocere p morfu
 Non finit et pellit cū vino sūpta venena serpētiniū.
 Potus et iniectus lūbricos enecat eius p veneno
 Succo et in mēbris vermes necat oibus ipse
 Si semel iūgatur hic cū sale plus operat p rohis
 Si bibat hāc pgnās. aut tritā subdat abortit bitio
 Purgat et yctericos cū vino curat anelos
 Astmaticos medici quos greco noie dicunt
 Et iecoris morbi cū vino mitigat hausta p moro se
 Hocq; modo veteri lateris iuuat illa dolore coris p
 Siq; cicatrices nigras supaddita trita dolore lateris
 Dec naturalē reddit purgādo colorē ris. p curatiōe.
 Anno decocta facit hec meli; cathapsalma cicatricis
 Cōpescit stomachi cū vino sūpta dolore p dolore sto
 fumus de domibus serpātes effugat ei; machi
 Collere singulū cū vino dicis hausta p egectiōe

Hocq; modo venerē phibet potata frequēt spētini
 ¶ De puleio. cap. xvi. Prohibitio.



royale **H**Eruida pulegii vis siccaq; dicitur esse
 tertius a medicis dat? ē qd? hic in utroq;
 Sepi? hāc herbā si pgnās suat abortit Prohibito
 Menstrua deducit cū vino sūpta tepēti
 Hocq; modo tardas hec extrahit herba scōas
 Hoc nomē q; nō notū reor ēē qbusdā perpositiōe
 Exponā tali quid noīe significetur huius noīs
 Et nundū natus testa circūdatur oui secunda.
 Pullus. hic infans matris vestitur in aluo
 Quadā pellicula matris de semie facta

17

Quā nocēs rūpīt quasi testā pullil? out
 Bitas pelliculas medici dixere secūdas
 Quod mor expositos nature iure sequat
 Nec si plus iusto vitio cogente morētur
 Aut mors subsequitur: dolor aut qui vis tolleret
 Istas pulleum predicto more repellit
 Cū sale cōtritā melli si iuxeris illā
 Anguē cōtractis p̄t hoc succurrē mēbris
 Illius pulvis sūptus cū melle v̄l haustus
 Pectoris humores v̄lscosos extenuare p̄ductio.
 Et per sputa potest illos educere mere hūor̄ pector̄
 Hausera v̄l mors? Romachi curabit illi p̄stōacho.
 Cū pusca sūpravel aceto. quod sit aq̄sū De colera ex
 Cū vino colerā nigrā potata repellit pultione
 Sicq̄ venenatis serpētū morsib? obstat morsib?
 Siper vim febris nimioq̄ fluore cruoris serpētū
 Aut aliquo casu subito defecerit eger
 Quod solz a doct̄ medicis malefactio dici. p̄male
 Puleum valido tritū iūgatur aceto factis.
 Haribus egroti sic apponā odorē
 Solo confestim dicūt releuare iacētē
 Singuias sicci pulvis cōfirmat et v̄li
 Appositā viridem dicūt sedare podagrā
 Et quosuis alios solet emēdare tumores
 Si superaddatur tepide p̄mixta polēte
 Addita cerotis papulas de corpore tollit
 Spleneticis m̄p̄tū sup̄addita cū sale p̄dest p̄splene
 Elixatura si quisq̄ sepe tepēti. ticis.
 Illius abluitur. pruritus non patietur
 Et sic matricis poteris curare tumorē
 Tussim compeffit cū vino sūpta tepēti De tussi.
 Et sic v̄rinā cōpellit reddere largam p̄iectione
 Et magis ex vino si sit decoctio facta v̄rine.

Aut oleo mixto cōtritā si supaddas
 Si radix acrit tritam iungatur aceto
 Sedault quosuis supaddita sepe tumores p tūore
 Obstiat spētū cū uiuo sūpra venenis p morsu spētū
 Et sic assūpta venērē stimulare fatēē
 Sic q̄q̄ pulmonis pdest iecoris q̄relis p pulmone
 Et sic nutricei sūptū lac p̄bet abūdans. z iecore
 Herbavirēs curat morsū cū melle caninos p morsib⁹
 Si supaddat z vino mixta bibatur canini s.



¶ De feniculo cap. xvii.

Eniculū medici calidū siccūq̄ sc̄bo
 Dicunt esse gradum aratriū grecus vocat illū

18

Cū vino cūctis obstat hec herba venenis
 hac mansa serpens oculos caligine curat
 Inde q̃ cōpertū est humanis posse mederi
 Illam luminibus atq; ex p̃iādo probatū
 Radicū succus oculis cū melle perunctis
 Pulsa reddit eos omni caligine claros
 Expressus maratri viridi de semine succus
 Soleq; siccatus magnū medicamine habet
 Ad quosq; voles oculoꝝ pellere morbos
 Auribus infus? vermes succus necat ei? p aurib?
 Remib? i tisanā radix decocta medet p renib?
 Cū vino curat idropicos potata tū oꝝ p ydropic?
 Sicq; venenatis obstat morsib? illa p venenato
 Sic quoq; pulmonis obstat iecorisq; q̃rel? amoru.
 Et sic nutrici sūpta fit copia lactis p copia lactis.
 Cū vino vel aqua radicū coctio sūpta
 Hæufreticis ⁊ vesice morbis medicat Hæufretici
 Urinas purgat ⁊ mēstrua sūpta resoluit sūt patie?
 Vel si tria sup pectus hec herba liget tes i renib?
 Hæusea cū vino sūpta sedabitur illa
 Feruore stōmachi cū lipha mitigat hausta; p feruore
 Radix ill? cū vino decocta dolores stōmachi.
 Fomēto curat patitur quos virga virilis
 Hoc quoq; si iungas oleū facit hocq; puas
 Actū vel factos subitos quosq; tumores
 Appositū tantam iuncto sedabis aceto
 Semen cū vino bibitū veneris mouet act? p venera
 Hoc q̃q; modico lateris diros sedare dolores p do
 Dicūt aut herbe si sit decoc tio sūpta lore lateris.
 Tradūt auctores eius inuenescere gustus
 Serpētes. ⁊ ob hoc senib? pdesse putātur
 ¶ De scidula. cap. xviii.



Porro **P**rim^o acidulā quā grecus dicit ozion
 Sic dici credunt: sapor illi q̄ sit aceti
 Crescit arenosis in pratis. et secus annes
 Hanc auide quidam comedunt in tempore veris
 Expertumq̄ ferunt. sibi q̄ fastidia tollat
 Virtus est illi sicca. et frigida valde
 Tertius a medicis dat gradus huic i utroq̄
 Hac fugit apposta sacer ignis et herpetes mordax
 Et tūor ex oculi trite cathaplasmate cedit p̄ tumore
 Ulcera que serpūt cohibet cōbustaq̄ curat culoꝝum.
 Et multū calide dicūt p̄desse podagre p̄ podagris
 Si fuerit foliis illius operta virentis.

Aut cathapsalmate mixta cōtrita polēta
 Eius cū roseo succus perunctus oliuo.
 Dicitur antiquo capitis prodesse dolori p̄dolore
 Et dolor ē lingua dicit cathalargia greco capitis
 Omne gen⁹ flexus v̄tris reslīgere mire p̄fluxu v̄
 Cū vino potata solet vel māsā frequēter tris.
 Hocq; modo nimis manātia mēstrua sistit p̄mēstru
 Vel si matrici trūā viridē supaddas is.
 Sic quoq; lūbricos pellit potata rotūdos
 Taliter et cūctis p̄dest potata venenis p̄ omni v̄
 Exhilarat visus iuccus illius iunctos ueno.
 Cū vino variis obstat potata venenis
 Affirmant isā qui secū gesserit herbā
 Quod non appetat hunc letali scropius ictu.
 Auribus expressus si succus funditur ei p̄aurib⁹
 Adiuvat auditū mire depellitq; dolorē
 Altera vero minor species est istius herbe
 Quā semp viuā dicūt .qm̄ viret omī de sēguina
 Tempore herba leuis v̄gar: more vocat
 Esse refert similē predictē plinius isā
 Nec minus hanc cūctis f̄dictis posse iuuare
 Mane solet a deo palpebre glutine q̄dam
 Slegmatis astrigi valeant v̄ vix aperiri
 Has mire succus herbe deglutinat huius
 Illo si tacte fuerint digito ve peruucte.

¶ De portulaca. cap. xix.

In dragmis grece q̄ portulaca latine p̄quali
 Dicitur hec vulgipes pulli more vocat tate
 Humida vis eius ⁊ frigida dicitur esse
 Tertius humoris frigoris vero secūdus
 Huic gradus est febrē. quam causon greca ē
 Trita sup sīdachū. viridis si p̄mit herba
 Preslat idem succus .si sumitur herbaq; māsā

Aut ut olus accepta solet lenire calorem
 Māsa vñ hausta pōt nīmū restrigere fluxū p fluxu
 Sanguis. z vētris nīmū cohibere fluore sāguis.
 Esse vetat dētes illis cōtrita stupētes p dētibus.
 Et tumidis oculis pdest supaddita trita De oculis
 Feruorem solis estate comesta nocere
 Hō sinit z vētrē cū vino z cū sale mollit
 Vesiceq; solet sedare comesta dolores p vesica.
 Ecedule similes huic perire per oīa vires
 Effectusq; pares testatur plinius esse.
 ¶ De lactuca. cap. xx.

hucc



Rigida lactuce vis stat et hūida valde
 An pōt numios hec māsā lauare colores
 Et pītat idē supaddae si bñ tritam
 Arilis ē stomacho sōnū dat emollit et alui p stoma
 Omnibus his meli⁹ pdest decocta comesta cho.
 Lactuce semen cōpescit sōniavana. p somnis
 Cū vino bibitū fluxū quoq; repmit alui vanis.
 Vac dat abundā nutriti sīpta frequēt p lacte m
 Et quidā dicunt oculis caligo curatur nutrice.
 His quib⁹ assiduo fuerit cib⁹ ei⁹ in vsu. p oculis
 ¶ De rosa. cap. xxi.



Dici flos florū nobis rosa iure videt
 Qd. specie cūtis pcedat odoreq. flores
 Hō tamen hec specie tm̄ nec odore iuuare
 Hos valz. aut variis nos adiuuat illa medet
 Et sicca gradu vis est et frigida p̄mo
 Cōpescit sacrū si trita apponitur ignem
 Sic q̄q. si stōach. calet aut p̄cordia sedat
 Fluxū matricis cū vino strigit et alui. *p. matrice.*
 Illius succū colleria plurima querūt
 Et sicce puluis morbis bñ subuenit oris *p. morbz oris*
 Infrictus per se tm̄ cū melle ve mixtus
 Omēs feruores supaddita trita cohercet *p. oī calore*
 Ipsa recēs vel si mulse cōmixta bibatur
 Ex hac conficit oleū roseūq. vocatur *de diuersis*
 Diuersis morbis z. multis vtile causis *morbis.*
 Si bibitur vētrē mollit stomachiq. calorē *p. vētre z.*
 Extinguit nimis bñ si foueatur eodem *stomacho.*
 Et dolor z. feruor capitis curabitur illo *p. capite.*
 P̄miscēdo sibi forte si iungatur acetum
 Expurgat sordens vulnus repletq. p̄fūdū p̄vulnere
 Et cōbusturis preclare cōuenit ignis *fundo*
 Ore diu tm̄ dentis sedare dolorē *p. cōbusturis d.*
 Dicit z. duras palpebras reddē molles *duris pal.*
 Suffert suppositū pruritus interiorū *pebris.*
 Et stericiis solet variis succurrere causis *De prur.*
 Hoc oleū quoniam variat cōfiscēdo *tu, et sterilis*
 Dicā paladius quid scripserit ip̄e peritus
 Quod rubeū fuerit folioz sumito flores *Qualit. si*
 Ancia sic purgatoz iūgat oliu *at. oleū p̄ciosiss*
 In libra vitreo sic claudēs oīa vase *simū rosaz*
 Sub phebo tm̄ septē suspēde dieb. *ad p̄les vsus*
 Inde medelaz varios seruet ad vsus; *per optimū.*
 De lilio. cap. xxi.



Lilly

Arosas vt credo rosas argete debēt
 Lilia iure seq. q̄ nec specie nec odore
 Cedere credūtur roseo collata decori
 Nec min⁹ in multis hoīm sunt apta medel⁹
 Eius radice bulb⁹ que lilia profert
 Sub prunis tectus iuncto quoq; tri⁹ oliuo
 Prodest vsuris mire supadditur ignis
 Et meli⁹ roseum sibi si iungatur oliuum
 Duras matrices mollit⁹ si subditur idem
 Elixir eius foliis cathapsalmate facto
 Molescit nerui. cōbastaq; mēbra iuuat
 Sicq; suppositis mors⁹ curabit anguis

Liliū as
 simulat⁹
 auro.

p. vsuris

De neruis
 p. morsib⁹

Aut si cum vino bulbus potabitur ille serpentum
 Sic quoque fungorum vetat ille venena nocere
 Hunc vino coctum tritūque pedū superadde
 Clavis. nec soluas nisi cū lux tertia transsit
 Pingui porcino decoctus idem vel oliuo p genera
 Redde posse pillos mēbris narrat adustis tūc pillos
 Cum vino potum nocuū purgare calore p mēbris
 Per ventrem dicūt; et sic prodesse lieni combussis
 Sicque iuuat vuluas. sic idē mēstrua purgat p mēstru
 Vel si cum vino veteri coctum superaddas is.
 Preciis nervis tritus cum melle medet p nervis.
 Expressus succus foliorum mixtus aceto scissis
 Et melli coquitur. sic mellis sint et aceti
 At gramen partes predicti quinque liquoris
 Ad desiccandas nihil est magis utile plagas
 Indeque cicatricem ducit licet inueteratam
 Elixus bulbus et cerotis bene mixtus
 Rugas distētat vultus. maculas fugat oēs p maculis
 Licenas purgat faciēque fursure purgat. p liche
 Exprimitur succus de tritis floribus eius nis
 Qui mollit vuluas cum lana subditus illis
 Illius asseritur sudorē posse mouere
 Turgida maturat post quoque et cito purgat

¶ De satureia. cap. xxxii.

Umbra solet grece dici satureia latine
 Illi sicca mīm? vis ē s; feruida valde
 Prouocat urinā. cū vino et mēstrua sūpta de puoca
 Pellit abortiuū. muliebria viscera purgat tūc vine
 Illius puluis cū cocto melle subactus
 Et mansus vel cū vino si sumitur idem.
 Pectoris humores pellit p sputa tenacē p pectore
 Cū vino tepido cōpescit tormia vētris
 Si large hebitur verum eam sepe pbaui



Est quidem morbus letargus nomine dictus
 Oppositum medici quem dicunt esse frenesim
 Quod vetat hic sonum si sono quatuor hoc egrum p frenesim.
 Hoc tam letali sono de pressus et aceto
 Tinctura commiscens foueat caput inde frequenter
 Sic viciū pigri poterit depellere morbi.
 Hanc herbam caueat mulier confringere pignas phibito
 Nam non massa modo sed partem subdita pellit mulieribus
 Nausea sedatur hac si bene trita sumatur quibus
 Cum modico vino vel si sumatur in ovo
 hoc modo mire venerem solet illa moueri
 Si largo potu viridis vel sicca bibatur

Quod si cū vino mel iungitur ⁊ piper illi
 Hō modicū veneris succendere dī ignez pro venere
 Hic ē a satiris merito satureia vocata De ipositiōe
 Quod sint ī venerē nimis hec aīalia prona noīs
 Si desit thim⁹. pro thimo ponere tibrā
 Precipunt medici quiavis est aqua duob⁹.
 ¶ De salua. cap. xxiij.



Salua cui nomen eliphagus ē apd agrōs
 Cū malsa iecoris prodest potata q̄relis p̄ecore
 Pellit abortiuū locūq; ⁊ mētra purgat p̄mēstruis
 Trita venenos curat supaddita mors⁹ p̄ morsu
 Indis vulnerib⁹ q̄ multo sēguie manāt p̄vulnerib⁹

23
 Apponas trita dicunt retinere cruore
 Cu vino succus tepid? si sumitur eius
 Copescit veterē tussim laterisq; dolorē
 Pruritus vulue curat virgeq; virilis
 Si foueas vino fuerit quo salua cocta
 Bilis succo crines nigrescere dicunt
 Si sint hoc vincti crebro sub sole calenti.
 ¶ De ligusticis. cap. xxv.

pro tussis
 pro virgavis
 rili.
 pro crinib9.



Aligurū paria sūpfere ligustica nomen
 Topia q; maior ibi nascit illius herbe
 Tertio huic qd? ē siccū calidūq; vigoris p ipositione
 Maior radicis vis est et seminis. ei9. nominis.

Louage

Et par est illis vis i medicamine quosuis
 Inflato stomacho cu vino supra medet p stomacho
 Et tali potu vis digestiva iuuat
 Bib? r morbis sic pdest interior p morbis inter
 Urinas sic supra mouet r mēstrua purgat riorib?
 Lota venenatis medicatur morisib? herba
 Si bibitur bene trita prius vinoq? soluta
 Et pars contrite ponatur desuper herbe
 Hō modicū colicis pdest hec māsā v? hausta
 Vel si radicis elixatura bibatur
 Nec solū colicis decoctio proderit ista
 Sed supradictis medicabitur oib? hausta
 Digestibilib? semen bene iungitur eius
 Bib? antidotis: qd inest sibi pectica xtus p oculis
 Hāc ocul? strab? potuq? r odore nocuā Strab? fuit
 Afferit: antidotis ei? tātū modo semē discip? raba
 Misceri iussit hec vtrū dicerit a se i medicina pe
 An a doctorū libris non ē michi notū rit? q genes
 hoc scio q veteres nō paruis laudib? istā expositionē
 Attollūt herbā. nec me legisse recordo? breui pphē
 Allū qui strabi sermonib? asipule. dit q? raban?

¶ De astructo cap. xxvi. prolixē fecerat

Structus ē obstructū qd vlgari more vocat
 Sim calidā siccāq? r. radix fugat ei?
 Cu vino morbos iecoris si trita bibat
 Yctericos sic supra iuuat: splenisq? tūorē p ycteris
 Morbum quē greci scirosum dicere repellit
 hocq? modo lapides vesice frāgere dicūt p lapidib?
 Mēstrua sic lotūq? mouet. tussiq? medet vesice.
 Sic orthonoicis prodest si sepe bibat p mēstruis
 Subdita matrici depellere subdit abortū. et tussi
 Et sic tarda nimis educere mēstrua tradūt
 Si cu vino si iungatur atq? posita



Illi? succus lepras emūdat inunctas
 hoc etiā succo iuncto cū polline qđ dāt
 Ordea curatur vt dicūt pustula queuis **p pustulis**
 Si superadideris emplastri more dolori
 Illi? succus cū melle terēdo iugatus
 humores capitis purgat si mare trahat **p humori**
 Sternutamentū per se puluis mouet ei? **bus capit.**
 Narib? iniectis veratro nō segnius albo
 ptericis succus mīre medicabit eius **p ptericis**
 hunc si mare trahant lacti mixtū mīliebit.
 ¶ De cerifolio, cap. xxvii.



cerifolium
Est cerifolio vis acris et ignea valde
 Appositū cācris tritū cū melle medet̃ p cācro.
 Cū vino bibitū lateris sedare dolorē p dolore las-
 Sepe solet tritā si nectis de sup herbā teris.
 Cū mulsā bibitū pituce noxia soluit
 Ex oleo coctū frigus depellit iniunctū
 Si tritum mixto violēto soluis aceto
 Umbricos tali potu tineasq; repellis p lābricis
 Cū vino ciet vrinas et mēstrua purgat p vrinis.
 Virgine cū cera verū huic arūgia mixta De perotid;
 Nō modo perotidas verū quosq; tūores ⁊ tumorib;

25
 Curat vel repmit si sepius hoc sup addas
 Intinctu valido si māducetur aceto
 Sepe solet vomitu vētrēq; tenere solutu
 Si trito tegitur pectus succusq; bibatur
 Urine clausos referat quosq; meat? p vesica.
 Illu elixatura vertigo fugatur p vertigie.
 Si caput ac tepida patientis sepe lauctur
 herbaq; timporib? ⁊ frōticōcta ligetur.
 ¶ De atriplice. cap. xxviii.

arrach or Br



Ita frigidare q̄du prio humectare sebo
 Atriplicē dicūt ei? mollit cib? aluū de variis
 Duritias soluit varias. clausosq; medet .duritiis
 v i

Emplastrū crude vel cocte si supaddas ꝑ clausis
 Hocqꝫ suppositū scabos cito detrahit vngues
 Igmbꝫ et sacris dicunt sic posse mederi de ignibꝫ
 Triplicē tritā cū nito melle et aceto
 Dicūt appositā calidā sedare podagrā ꝑ podagra
 Ptericon dicit galienus tollere morbū de ictérico
 Illiꝫ semen cum vīno sepiꝫ haustū. et morbo



¶ De coriandro. cap. xxix

Rigidavis herbe coriādzī dicitꝫ ēē de qualitate
 Austereqꝫssimus quādā virtutis habere
 Hanc galienus ait per quā depellere vētre
 Rubricos tineaꝫqꝫ solet si trita bibatꝫ ꝑ lūbricis

Cum vino si mixto sumatur aceto
 Ana cum passa coriandrū melos iugatum
 Sedabunt varios supaddita trita, tūores
 Precipue testes crudos iuuat hoc medicamen
 Illi? semen vētrē supare solutū
 Fertur aqua iūctum fuerit si sepius hauitū
 Argenti spumam ceruse contere mixtam
 His tritis succū coriandri iunge et acetū
 Quatuor his roseū miscēdo iugabis acetū
 Ita terendo simul p̄ciosū cōficis vngue
 Quo? sacros ignes pellas calidosq; tūores p̄ sacris
 Si tibi difficilis confectio tāto vides, ignib? et tu-
 Succus cū solo p̄dest cōmixtus aceto morib?
 Aut si frumēti panis mundissima mica p̄ expulsioe
 Iūgit hic succo sedat quēq; calorē, cuiuscūq; ca-
 Ihuic succo si iuncta fabe sit sola farina lozis.
 Et supaddat scrophis medicabit illis p̄ scrophis
 Et ceder, feruens emplastro pustula tali
 A multis scriptū legi, febris ante trēorē p̄ febrib?
 Si trita grana vorēt coriandrū semis eger
 Euadet febrem cui lux dat tertia nomen
 Prestat idem lectū coriandrū mane p̄usq;
 Sol surgat, cenicali si subditur egri
 Senocrates scripsit totidē cessare diebus
 Mēstrua, quot mulieri ḡna vorabit coriandrū
 Assidue quidē cōdānat illi? vsū
 Thempe putant mortē quīs ne pare dolorē.

¶ De nasturtio. cap. xxx

Dicut feruētes q; hñt nasturtiavires p̄ qualitate
 Et siccas hac reuenerē cū ruta cohercet
 Siccādo semen fuerit si sūpta frequēter
 Fermento cōmixta recens hec herba terēdo
 Antracas curat, bona q̄ plebs vlcera dicit p̄ atracis



Si supaddatur curaq; furūculus ista
 Emitterit saniē, cum qua dolor ille recedit
 Illius ⁊ succus crines retinere fluentes p crinib?
 Illis, asseritur, dentisq; leuare dolorē p dētibus
 De qua parte volēs dēs est infus? in aurē
 Fortius est herba semen depellit abortum
 Haustum cū vino vētrisq; animalia pellit
 Et sic serpētis dicūt obitare venenis p venenis.
 Solus odor positus carbonib? effugat illas
 Splen reprimit, mixto si sepe bibatur aceto
 Herbā vel semen cū poline iūge et aceto
 Hec contrita simul sciasis supadde dolori p flast.

26
 27
 Utile non modicū confirmat hoc medicamen
 Richenas succus purgat cū melle perfictus
 Si prurigo caput aut vlcera turpia sedant
 Enseris admiscens adipt nasurtia trita
 Sepius unge caput viciū pellect vtrūq3 p. omni ve
 Sicoquis hanc herbā capre cū lacte recēti neno
 Illū aut semen dolor angat pectora q̄squis
 Dissūpto tepido potu sedabitur isto p. pectore
 Semen cū tepida cōtritū pōdere dragme
 Et bibitū dicit q̄ durā moliat aluū
 Tussim cōpescit cū melle voratū. p. tussi
 ¶ De eruca. cap. xxxi



Rocket
 or
 Winter
 Cress

Eruca calidā dicūt mediocriter esse p digestiōe
Siccā nō adeo. cibus ei? digerit escas
Et valz vinas hec mansa vl? hausta mouēt p vrina.
Mandif? utiliter pueris tussimq; repellit p tussi.
Emēdare cutē maculis cū melle iugatā p maculis
Dicūt et mundos lētigine reddere vult? p lētigine
Exlixata prius radixq; subacta
Ossibus et fractis supaddita detrahīt illa
Cū vino tritū si semen sumitur eius
Quosuis pestiferos ictus curare referē p ictib?
hoc magis maculas purgat cū felle bonio pestiferis
Illita, mira loquar cū vino largius hausta
Indurare ferunt hac straverbera sēsū p straverbera
Si conditoris coquus hanc admisceat herbā
Aut semen gratū dicūt prestare saporē
Euchiniūq; fosēt hac causa dicere greci
Erucā. succus q; gustu sit, bonus eius
Hō modice mās auenerē stimulare vl? hausta p uenere
Cōfirmāt medici pariter pluresq; poete
Et cum lactucis hec herba cōesta salubris
Itaq; calor dat tēperiem, cū frigore mixtus

¶ De papauere. cap. xxii

Dicūt vi gelidā siccāq; papaueris eē d specieb?
Tres illi tribuūt spēs flos vni? alb? papauer?
Alteri? roseus. rubeus palēs q; mioris
Flos est hanc dicūt egreste vulgo papauer
Cūctis nobilior est cui flos nascitur alb?
Et hui? teneris opiu faciūt capitellis
Incisa leuiter summa cute. lacq; quod inde
Defluit accipiunt cocleis. succūq; reseruāt
Antidotis multis aptū variisq; medelis p ptidotis
Sūt qui cōtendūt cū lacte suo capitellā
De quib? expressū siccant in sole liqrem

Post primū succus vires habet inde sc̄bas
 De specie vero roseqs quā genere flozes
 Dixit conficiunt oleum de semine tonso
 Non modicū gustu iocū dū somni ferūq;
 Tertia, cui flos ē rubēs semenq; nigellū p̄tia specie
 Prestat si bibi ē reliquarū more saporē papaueris
 Elixatura tepida cuiuslibet harū
 Eger si foueat faciem vel si bibat illā p̄ dormitiōe
 Optatū capiet nisi sit mors p̄ia sōnū
 Sperma nigri bibitū cū vino strigere vētrē p̄ restri
 Dicit hocq; mō fluxus ihibet m̄ie bres ctiōe vētris
 Somnū dat bibitū tussim cōpescit vñq; p̄ tussi.



9-5
 Pōdere denariis debent hec semina sumi quātū de
 Hā plus letargū vel mortē sepiū infert beat sumi
 De foliis eius tritis factū cathapsalma
 Eximie fauces dicūt curare tumentes
 Quos vocāt sacros extiguere dī ignes pro sacris
 Frigore vel cātu potu ve cibo ve vī estu ignib?
 Aspera si fuerit vocalis reddita vena
 Apposito tali fiet medicamine letus
 Candida meconii species sic nēpe vocari
 Grecoꝝ lingua dicūt quodcūq; pauper preparatio
 Ronge nobilioꝝ est utilioꝝq; duab? utilis ad mē
 Tūc cū lacte fluūt capitella papaueris hui? ta.
 Recta coquātur aqua cui sit pars etiam mellis
 Addita cūcta decoq; donec decoctio spissa
 Sit quasi mel varios sic cōseruetur ad vsus
 Sūpta facit somnum tussim fugat obstitet aluū
 Vocalis vene bene reumatismāca siccāt
 Et de teneris opū factū capitellis.
 Sicut iam docui roseo miscebis oliuo.
 Ange caput mixtis sedabit hīs dolor oīs p dolore
 Et solet hoc vnguē sōni p̄stare quietem capitis.
 P̄dictis misce croci redolētia fila
 Turis curabis hec ifūdēdo dolorē p dolore an
 Hoc q; femineo cū lacte croceoq; subacto rium.
 Angendo calidā poteris sedare podagrā
 Ano suppositū solet hoc adducere somnum
 Illud idem solo p̄stare putatur odore.

¶ De cepis. cap. xxxiii.

nōnd
 DE cepis medici nō cōsentire vidēt
 Hāq; diascorides inflare caputq; gūare
 Et situm cepas dicit succendere mēsas
 Felicis nō esse bonas inquit galien? p flagma
 Flagmaticis vero multum putat esse salubres cia



Non modicum sanas asclepius asserit illas
 Preteritum stomacho pulchrumque creare colore
 Affirmat quotiens aliquis conspexerit illas
 Et dicit quisquis ieiunia soluerit illis
 Unaquaque die quod iuvet hec absque dolore
 Affirmat omnes mansas inferre sapore
 Et dicunt illas mollire salubriter alium
 Appostas prohibet morsu curare caninos contra morsu
 Si trite cum melle prius fuerit vel aceto sus canis.
 Apponunt alii cum vino melleque coctas
 Transactisque tribus soluit cathapsalma diebus
 Sal ruti cepasque diascorides iube aguis contra morsu

Morib? apponi sic asserit ille iuuari sus anguis
 Semineo lacti cōmixtus succus earū
 Pellit sepe graues ab aure q̄q̄ dolores p̄ dolore
 Hic succus cōmixtus aq̄ bibitusq̄ iuuabit auris
 Illos quos subitus facit obmutescere morib?
 + arib? attractus harū tantūmodo succus
 Humores nocuos capitis deponere cogit p̄ humori
 Māse vel pote tradātia mēstrua purgāt b? capitis
 Triturasq̄ pedū soleas quas v̄l caligarū p̄ mēstruis
 Duricie faciunt succo sanabls eodem
 Cū galinarū pingui si sepe perūgas
 Mane sibi dētes si succo perfricat isto p̄ dolore dē
 Dicūt hunc dentis nūq̄ sentire dolorē tium.
 Alcera compescūt oris cum pane, comeste
 Intingens oleo coctas qui sūpserit illas
 Sedat quos intus dat dissinteria morsus
 Cōtritis sepi loca denudata capilis p̄ capillis rē
 Sepe fricans poteris reparare dolorē - cuperādis
 Oris fetori, possunt fastidia tollunt p̄ fetore oris.
 Masq̄ iubet emozoidis superaddere tritas p̄ emoz-
 Illarū succus caligine lumina purgat roidis.
 Admixtus melli maculas quoq̄ lūctus aceto p̄ ma-
 Emendare solet si sint hoc sepe fricate, culis
 ¶ De buglosa seu lingua bouis. cap. xxxiiii.
 ¶ Inq̄ bouis greco smone buglosa vocat̄ p̄ ra
 Hec collerā rubeā nimio feruore pūstā bea co-
 Purgat cū vino fuerit si sūpta frequēt lera.
 Cardiacā colere quā facit copia nigre
 Cū simili potata modo curare valebit
 Mūores nocuos pulmonis detrahit hausta p̄ puls-
 Mixtus aque tepide si succus sumitur ei? mone.
 Illi qui patitur ciasm mire medicat̄ p̄ ciasm.
 Sim memorem cerebri dicūt fuare periti

Buglosa

30
 Sinu potatu quo sit macerata buglosa
 Lentos coniuas decoctio dicitur eius qualis ea
 Reddere si fuerit inter coniu sa spersa. leticiamus et



De sinapi. cap. .xxxv.

Int eas q̄s pictagoras audauerit herbas
 Esseritur primā laudem tribuisse sinapi
 Quartus ei gradus est in vi sicca calidaq̄
 Extrahit humore viscosos extenuatq̄ p̄ humorib̄
 Comburitq̄ cutē. vis est tanta caloris. viscosis.
 Maior vis ei in semine dicitur esse p̄ lapidibus
 Sensus eracuit cibus eius comouet aluū vrinis. r
 Cōfrigit lapides vrinā r mēstrua purgat mēstruis

Mustard

18
 Sitrithi iungas tepide versasq; palato
 Ad solem capitis purgabit flegma nociuū **p capite**
 Sternutamentis hoc admiscere salubre ē
 Illo nam capitis stricture resoluitur omnis
 Mustū cōfortat stomachū suspiria sedat **p stomacho**
 morsū serpentū si trito mergis aceto **p morsibz**
 Et superponas tali medicamie curas serpentū.
 Mustū pessiferos vetat intima ledē fūgos
 At nimium feruēte cutem cōburere dixi
 Sed tamen hec multis est utilis vltio causis
 Hac oculis nociuis capitis siccabit humor **p oculis**
 Et quid desilans pulmonū cōcaua ledit.
 Et stomachi morbosq; creat tussimq; ptisissq; **p tussi**
 Hac per vesicas coxe dolor inueteratus
 Elicitur. sciasum quod greco nomine dicit
 Hacq; tumor splenis durū iecorisq; fugat **p iecore**
 Et multū causis hic subuenit inueteratis
 Utile tot causis qm cathapsalma sinapi
 Sepius a medicis variatur conficiendo
 Dicā qualitet hoc fieri iubeat menemiacus
 In mortariolo tritū bñ pone sinapis **de cōfectione**
 Semen iungatur huic panis cādida mica **sinapis**
 Sic ut tertia sit panis pars iuncta sinapi
 His ficus siccas et mel iungas ⁊ acetum
 Etatis q̄tū vel morbi causa requirit
 Nam quo plus ficus sicce vlt mellis hēbit
 Illa sinapi vis tāto solet acrior esse
 Debilior quo plus panis mittes ⁊ aceti
 Ne tibi sit vilis moneo confectio talis
 Effectū cui⁹ in multis sepe probauī
 Nō tamen hanc iubeo cūctis aponere morbis
 Sed raro magnis ⁊ causis inueteratis
 Plinius in musto cū semine precipit huius.

Radices margi. sic postq̃ sup̃serit harū
 Omnem vñ vinū multū putat esse salub̃e
 Faucib⁹ ⁊ stōacho potatū luminib⁹q̃ p stōacho
 plurib⁹ et capitis dicit pdesse q̃relis p capite.
 Infuso faciunt oleum de semine quidem
 Arule limborū vitus sup̃idis q̃q̃ nerals
 Exprimitur succus tenero de caule sinapis
 Quod siccū mādens dētis tormēta fugab⁹ p dolore
 Locales venas semen lenire sinapis detum,
 Mansū cōfirmat adipi tūdēdo veruſto
 Cōmixtū scrophas disperget. si superaddes p scro
 Ill⁹ fum⁹ multū prodesse caducis p p̃is.
 Dicitur atq̃ flere causas siccando iuuare
 Cum sicu tritū capiti supaddere raso
 His qui litargū patiūtur magna medela est
 Vel si sepe pedes vnguedo fricabis eorū
 Semen cōtritum melli cōiunge vel vincto
 Istud alopitius iuuat vnguē sepe fricādo
 Scricū vino lepras emundat inuncto
 hoc q̃q̃ modo curat māsō p̃idica febris p febrib⁹
 Antea q̃ dixi veniat cōmotio morbi.

¶ De caule. cap. xxxvi.

Cabbage

Caulis romata grecoꝝ brassica ligus
 Dicitur hic q̃uis passim nascatur in ortis
 Est tamen illius ad multa salutifer vsus
 Annis sexcentis vsos modicamine caulis
 Romanos catho testatur medicina p̃usq̃
 A medicis rome descripta fuisset in vsū
 Tunc ortus escas illis dabat ⁊ medicinas
 Quinera nō tm̃ curare recētia caulē p vulnerib⁹
 Ipse et affirmat actor: sed inueterata
 Et cācros etiam loca s̃p̃ anne lauare p cancris
 Precipit vt vino tepido. sic deniq̃ crudū



Unaquaq; die bis tritū apponere caulē
 Ordea quā dederint cauli mittere farinā
 Idē precipit rutā quoq; cū coriandro
 Et sale per modico sic oīa mixta recēdo
 Apponi dicit docui cathaplasma podagre p podas
 hī cetia morbis medicabit articuloꝝ gris. de fissul
 hoc quoq; siringas ait et luxata iuuare et gutta.
 Etq; suppositū varios sedare tūores de variis tu
 Illi? vrinam fuerit qui caulib? vsus. moribus.
 Causis neruozū calefactā, censuit aptaz p. neruis
 hac ex vrina pueri si sepe lauētur
 Esserit illoꝝ multum. conferre saluti!

e, de caule catho quedam scripsisse libelli
 ulppum dicunt qui de viribus herbe
 mnes confirmant: caligine lumina tergi p oculis.
 us qui viridi vascetur caule frequet p lacte in
 uget lac mamis cib? ei? mēstrua purgat nutrice.
 qz iuuat stōaclo sūptas vt pcoqt escas p stōaclo
 i multum coquitur, refrigerere dicitur aliu
 ut semicrudus solet illā soluere sūptus
 illūptus crudus sic vt tingat aceto
 ple repmit tumidū. seme depellit abortū p splene
 nctio cū veteri coccos bñ contere, caules
 s oleum roseum qñ res postulat addas
 rdores immitos iuuat hec cōfectio febris p febre.
 i superponat stōaclo mēbro ve calenti
 cri non cissum mergis alumen aceto
 t caules sic vt corpus redigāt i vnū
 ūcta terēdo diu. potes cōspicere lepras p lepris.
 t plures alias maculas his sepe pūgēs.
 s etiaz crines poteris retinere fluētes p retētiōe
 vicitur et testes istud curare tumētes. capillozū
 t yartos morbos genitalia q patiunt p tumore.
 t melius si pdictus faba cocta iugatur
 ū fenu greco si tondas hūc et aceto
 t super arteticos apponas ista dolores
 ūlsum subueniet illis virisqz podagre
 ūo modicū poterit istū cathaplasma mederi
 nctio cū veteri caulis cineres bñ triti
 possit ad veteres lateris coreqz dolores. p dolore
 sit licet hec vilis tñ ē medicīa salubris lateris r co.
 si calis semen mixto potatur aceto re.
 dellere sepe solet animalia noxia vētris
 ut cinis ex siccis caulis radicib? vñtis
 subditur hic viuum releuat siccando iacētem

Dētib⁹ atriti succū glutirevirētis p dentib⁹.
 Affirmant rauce multū succurrere voci p voce
 Harib⁹ infusus succ⁹ purgat caput ei⁹ p capite.
 Qui pri⁹ est caules vix sentiet hebzietatē p hebzie
 Euulsam caulis radicē postea tritā tate vitāda.
 Que non attingerit collo mellinus inquit
 Suspēsam varios vne depellere morbos.
 ¶ De pastinaca. cap. xxxvii.



Et St pastinace virtus in semine tantum
 Et radicē sua mulsā si decoquis eius
 Radices multū decoctio proderit leius
 Si potanda dat splenis lecorisq; ārelis p splenez

33

Rumboruz q3 leuat eadem potata dolorē lecore.
 Hanc si lacte co. uas decoctio sūpra iuuabit
 Asmaticos veteres q̄uis vētres q̄fluētes p̄ asmaticis
 Radix illius collo fūspēsa tumores p̄ tumore testi
 Et quidam dicūt cōpescit testiculorū. culorum
 Qui pastinacam fert aut mādīdit illam
 Dicitur anullo serpentū posse noceri p̄tra spētes
 Accendit venerē si large sumitur illa p̄venere
 Si circūscalpis dentes radicibus eius p̄dentibz
 Dicunt ingenti persepe dolore leuari
 Ex vino pastinace si sepe bibatur
 Compescit diros quos scropi? intulit ict? p̄ ictibz



4
 Sic q̄q̄ feminei ventris curare tum orē scorpionis
 Dicūt q̄ mulier quasi pregnās eē videē p̄ tumore v̄z
 Quo passū tribuat ē passinacavocata tris mulier
 ¶ De organo. cap. xxxviii.



310
 Majoram

Organum vires calide sicceq̄ leguntur
 Tertio huic i vtroq̄ grad⁹ cōceditur esse
 Illius in vino curat decoctio sumpta
 Quosuis pestiferos mors⁹ si sepe bibat p̄ morsib⁹
 Cum mulsā sumpta p̄dest atonita bibēti pestiferis
 Sic multis aliis dicunt obstarē venenis
 Concastato iuuat mansum: vel sepius haustū
 p̄dropicos rep̄mit bibitū: siccātq̄ tiores p̄ p̄teric⁹

Cum malsa bibitum colerā deponere nigrā
 Dicunt orisabi fuerit si pandere sumptum
 Menstrua reducet bibitum: vel si superaddas
 Tritum vel cocta mulier si se fouet herba
 Illius puluis tussim cum melle repellit *p tussi.*
 Purit? acoras masculasq; cut; fugat oēs acore sp?
 In quo decoquit si sepi? anne lauetur acrita vlce
 In lauacro iuuat, ptericos hec decoctio sūpta raica
 Succus predictae viridis si sūtur herbe. *p ptericis*
 Quas et fauces curat siccando tumētes
 Oris vulneribus medicabitur ore retent? *De ore*
 Haribus infus? yzino mixtus oliuo
 Inuisus capiti coget manere cruorem
 Aurib? ifusus sedat cum lacte dolorem *p aurib?*
 Illic succus mixtus cepis et roseriaco
 Ponitur ad solem tunc sepius ardet
 Sicq; quaterdenis feruebit in aere dieb? *p cōfectio*
 Si suponatur lecto confectio talis *ne fienda.*
 Effugat ut dicūt aialia cuncta nociua *p euacuādo*
 His quib? ex aliquo. victo digestio tarda aialia no
 Euenit ex vino prodest si sumitur albo *ctua de lecto*
 Cū calida stomachi morsus lenire pbatū est
 Illius succos oleos mixtos et aceto
 Succida lana bibat et sic supaddita mēbris
 Luxatis et cōtussis multum iuuat illa
 Prouocat vrinā lūbricos reicit haustū *De puoca-*
 Dente diu tētum solg inde fugare dolorē *tioē vrine*
 Via potatus succens iuuat interiora *p dētibus*
 Eius cū succo si carica trita bibatur
 Sudorem poris pducere fertur apertis
 Appositus coris succus cū poline farris *p coris*
 Harū sepe grauem pellit repri nit ve dolorē
 ¶ De serpillio. cap. xxxix.
 e ii

Serpillū veteres dixerunt qđ qñ spat
 Terre vicinus hic feruida sic. aquis ē
 Hic cū vino coctum coctūdas olivo
 Cui rosa dat nomen hoc vngue pline frōtē
 Egroti. capitis solet hoc sedare dolorē p̄ dolore ca
 Uidōz combusti serpentes effugat omnes pitis
 Et quoduis aīalis ifundos ore venenū p̄tra sp̄tes
 Hoc ideo miscere cibus inessoribz ē si mos
 At si forte sopor fessos dep̄sserit illos
 Vermibus a nocuis tuti requiescere possit
 Pestiferos morsū bibitū iuuat appositūq; de puo
 Prouocat vrinas cōpescit tormia v̄ctris catiōe vrine



35
Splen iuuat ad mixto si sepe bibatur aceto

Si mel predictis iungatur sputa cruenta

Factantes mire porus solet ille iuuare

Haustum cum vino iecoris sedare dolorē

Dicit. hicq; solet pducere mēstrua pot? p iecore.

¶ De violis. cap. xl. p mēstruis



Nec rose? supare decor nec lilia possunt
flagrātes violas spē nec vi nec odore
Dicitur humidavis illis ⁊ flagida primo
Esse gradu. spē ⁊ tres esse legūtur earum
Vocere quas tm̄ diuerso flozeualemus Alolaz tres
Nam sunt purpurei flores albiq; nigriq; sūt spēs.
Cunctis pene pares sūt i medicamine vires

Violet.

Inflammata iuuat loca tritas si superaddas
 Crapula discutitur bibitis capitisq; quædo
 Olfactu, solo vel si caput inde coronas
 Unguinis pute medicantur aque resolute
 Purpuream violam dicunt curare caducos
 Precipue pueros si mixto sumatur amne
 Radices violæ cum mirra tonde croceq;
 Hoc inflāmaris oculis apponito nocte p oculis in
flāmaris.
 Tritis folus violæ cū melle perūgens p ulcerib?
 Alcera sanabis capitis si iungis acetū p tūore
matricis.
 Et cathaplasma facis cedit collectio quis
 Illius curat elixatura tumorem
 Matricis tepida si sepe fouebitur illa
 Vni fixuras quas appellant ragadias p fixuris.
 Addita cerotis medicatur sepe perunctis
 Mollula si fuerit melli supradde iugata
 Illius semen cū vino mensius purgat p mēstruis
 Trite commixto radices eius acetō.
 Splē siccāt bibite vel spleni si supaddas p splene
 Hocq; modo calidā dicūt sedare podagrā p podagris
 Et stomacho colerā rubeam potata repellit
 Verba virens violæ, vel flos, sicc? verecens ve,
 Morbos de colera rubea vel sāguie factos p variis
morbis.
 Mollib? in costis aut in pulmonibus ipis
 Sedat si mixto potabitur omne recētī
 Infātum tussim sicut suspiria sedat pro tussi.
 Ex violis oleum sicut de flore rosarum
 Cōficiūt multis q; dicunt vtile causis
 Auribus infusū sonitū fugat atq; dolorē p aurib?
 Et capiti prodest quoq; dolore laboret p dolore
capitis
 Reut? ifrigidās corpusq; sopore resolues
 Numbricos necat infusū bibitū ve vel vinctū
 Et capitis furfur oleo depellitur isto
 Os capitis ictu fuerit si forte plicatum

36
 Intantum vt lingue patiens amiscerit vsu
 Fac prius hanc violam cū vino sumere trita
 Postea si fuerit capitis pars dextera lesa
 Contrita plate pedis hanc adnecte sinistri
 Atque conueiso facias si leua plicata est
 Os resilit. lingueq; die reddit vsus eadem
 At iustus tradat medicus qui talia scripsit
 Altera vis viole fertur mirabilis esse
 Albe si viole radix teneatur in ore
 Et transglutitus sit succus sepius eius
 Vulneris imodice tradit mor si flere fluxu
 Hanc liquirite tradit vi plini esse
 cuiuscuq; vul-
 neris.

¶ De aristologia cap. xli.

Aristologie species tres dicimus esse
 Longa prior radix ē cuius longa vocat
 Dicta rotunda sequens q̄ sit radice rotunda
 Tertia clematis greco sermone vocatur
 Tribus hec pene par dicitur esse rotunde
 Omnes vim calidam. siccaq; leguntur habere
 In primo vis sicca gradu feruensq; secundo
 Pestiferos morsus cū vino supra rotunda p morsib
 Curat. et assumptis pdest sic hausta venenis pestiferis
 Hocq; modo tardas educit supra secundas
 Cū pipere et mirra putredie mudat ab oī p omī pu
 Post partū potata seras. vel subdita tū tredine
 Astmaticis pdest et frigora supra repellit p astmaticis
 Pleureticos curat mixto si sumitur amne
 Quodlibet infixum supaddita trita repellit
 Vulnera cum melle purgat liquore repletq;
 Quod si p̄dictis irim cōiūgis et inde
 Angas ginginas dentesq; putredie purgas de purga
 Splenis duriciā soluit laterisq; dolorē tide dētiū.
 Si mixta potat aqua febresq; malignas p febrib;
 Hoc potata modo fertur compescere mire

36
 36
 36



Sic etiā sp̄samis super omnia subuenit hausta
 Et sedat diram sic sepius hauha podagram
 Et morbu curare solet sic sūpta caducū p morbo ca
 Et vētris nīmū sic mitigat illa dolorē, duco.
 Et sic fit sumpta leuior paralyticus illa
 Demonum fumus depellere dicitur eius
 Infantes fumo tardū hoc exilarari
 Fistula curatur huius radicibus herbe p fistula.
 Si bene purgatis ei loca concava farcis
 Singultus sūpta sedare dicitur illa
 Omnia lōga potest q̄ dixi posse rotundam
 Longa tamen vires habet illas debiliores
 Unde quidem si defuerit quādoq̄ rotūda

Par pondus longe ponatur dimidiumq;
 Someto longe pdest decoctio mire
 Marricū morbis humores extenuādo p matricib;
 Pingues et purgat eadem si sumitur illa
 Plinius hanc formare mares cū cane bouina
 Eppositū vulue postq; conceperit inquit
 Trit necat pisces admixta calce rotunda
 Hanc ideo quidam terre dixere venenum.
 De marrubio. cap. xlii.



Here ho

M. Marrubium nostri dixerūt passion agri
 Hanc herbā medici calidā siccāq; scdo
 Tradūt esse gradu decoctio totius herbe
 Semis aut ei? ptisicos mire iuuat hausta ptisici scti

Pectoris hecvarios p̄pescit potio morbos patit̄
 Et melius p̄desi illi si iungatur pris pulmone
 Astmaticos sic si p̄ta iuuat tussimq; repellit p̄ asm
 Decelerat partus eadem pellitq; secūdas ticis.
 Si mel marrubio iūgat vulnēra purgat p̄ vuln
 hocq; modo curat que rodūt vlcera carnē rib?
 Dicitur hoc bibitū lateris sedare dolorē p̄ dolor
 Omnib? his succus siccatus p̄derit ei? lateris.
 Illius succus cū vino melle re mixtus
 Prodesi luminib? caligine debilitatis p̄ oculis
 Sic iuuat ictericos iniectus narib? idem
 Auricule que grauem dicūt curare dolorē
 hunc mixtū reso si tondas intus oliuo.
 Esum marrubii dicūt non esse salubrem quib? n
 his qui vesici morbo renum que laborant licet v̄

¶ De pri. cap. xliii.

Ibi dat flozum nomen color ipse suorum
 Celestis similes sunt nēpe colorib? pris
 ylliricā dicunt illam quia plūma nasci
 fertur in illiria vis eius siccaq; calēs q;
 Dicitur atq; gradū dant huic retroq; scdm
 Maior vis huius est in radicibus eius
 has des siccandas p̄ frustra rotūda secatas
 Sic vt se p̄tes non tanga t̄ insere filo de p̄para
 Inq; loco sicco fac suspēdantur in vmbra tione.
 Alix aliter totum poteris siccare p̄ annum
 Cū vino sedant tussim p̄bentq; soporē pro tussi.
 Si latitans intus sanies p̄cordia sedat
 Pellitur illarū cum vino puluere sumpto
 Cum mulsā bibit? coleram depellit iniquā p̄ colera
 Tormina cōmixtus bibitus sedabit aceto
 hocq; modo sūptis dicūt p̄desse venenis
 Splenetic? t̄ contract? t̄ frigore lesis p̄ splenetic?
 Cū vino bibitus puluis medicabit̄ eius



Hocq3 mō sūptus tardētia mēstrua purgat p mē
 Durictas sericas radicum coctio mollit struis
 Si subtus tepida foueantur sepius illa
 hec cum clisterio si sit subiecta per anum
 Non modicū cūctis dicunt pdesse dolori
 De radicibus his mixta coleria melle p cūctis
 Fiunt que vulue pellunt subiecta secūdas
 Inq3 locis hec fixa cauis ciriga curant.
 Cōmixtus melli dessecat vulnera vuluis p vuluis.
 Carneq3 nuda replet si sit supaddit ossa papule sūt
 Pulueris ellebori pars tertia iūgit albi humores i
 pris radicū tenui cū puluere duplo facie i pmo
 Puluis vterq3 sit cōmixto melle ligat gdu humidū

Hoc sup̄ positiū purgat caligine vultū ⁊ in secūdo
Et papulas ei⁹ istud cathaplasma repellit. calidi

¶ De enula. cap. xliiii.

campane **E**nulā quā grecus elenā vocat elenīq
Dicitur a medicis hec foſa cognita cūctis
Humida vis ei⁹ et feruida dicitur eſſe
Humor habere gradu primū feruorq̄ ſcđm
Dicitur illi⁹ decoctio menſtrua purgat
Si bibitur mouet vrinā depellit abortū
Di. itur hec eadā ſtipatū ſolueret vētre
Radix trita fugat ciaſim ſuperaddita coxe
Ex eius foliis cum vino nectare coctis
Mire neufraticis renes inuoluere prodeſt
Eius radicū puluīſ cum melle voratus
Tuſſim compescit orthonoicisq̄ medetur
Cum ſucco rutte ſi ſuccus ſumitur huius
Eſſurmant ruptis q̄ proſit potio talis.

¶ De yſopo. cap. xlv.

yſop **Y**ſopum ſiccū calidū quoq̄ terci⁹ illi
Eſt in vtroq̄ gradu eius decoctio facta
Sic vt cocta ſit ſicut mel. ficus quoq̄ ſicca
Prodeſt nō medicū patiētib⁹ hauſta catarrhū p̄ ca
Subrenit ⁊ vcci rauce ⁊ ſata palato tario proce.
Et prodeſt cūctis pulmōnū ſūpta q̄relis p̄ pulmone
Lumbricos ventris eadā potata repellit
In pectus capitis ſi deſillatio fiat.
Quod p̄ſepe ſolet tuſſimq̄ p̄tiſimq̄ creare p̄ tuſſi
Prodeſt hec eadē decoctio ſūpta frequēter
In mib⁹ hiſ prodeſt puluīſ cum melle iugat⁹
Cum trito viridi ſi iungitur oximel illi oximel⁹ q̄
Sicq̄ dat bibitiū ſtipatū melliet aluū tria p̄ mel
Quēto nocuoviſcoſū flegma repellēs iūgiſ duc b⁹
Cardama ſi iungas hiſ ſolues forti⁹ aluū pib⁹ aq̄
Potio ſit viridis v̄ ſicca ſepe bibatur. v̄ aceti.



Multib⁹ eximium fertur p̄stare colore p colore vul
 Cum nitro et ficu sicca si coreris ipsum tus.
 Et super apponas pleni cataplasma tumēti
 Adropicis ve solet siccando repellere morbu
 Cū vino bibitum precordia tensa relaxat
 Et quicunq; nocet tumor interiora recedat
 In quo decoquitur si deus foueatur aceto p dētib⁹
 Fertur ab immodico cito sepe dolo, e leuari
 Accensi fumo sonitus compescitur auris
 Elixum appositum liuores limpidat omēs
 Sic iuuat p̄ctericos iniectū narib⁹ idē p̄ctericis.
 Auricule dicunt grauem curare dolorem
 Hoc mixtum roseo si fundes intus oliuo.

*hæm
abacaa*

¶ De assaro seu vulgagine. cap. xlvj.



Est assarū græce dictū vlgago latine
hec calide et sicce virtutis dicitur esse.
Tertius est illi gradus ut dicunt in utroque
Prouocat urinā potata mēstrua purgat
Locoque modo iecoris medicatur supra dolori
pdropicosque iuuat sciasim fugat hausta frequē
Et vulue morbis decoctio subuenit ei? p morbis vlt
Dicitur peticum potata repellere morbum ue.
Elleborique modo vomitu p cordia purgat
Sed non est huius purgatio tam violenta
hec metienda quidem si fiat taliter illa
Etatem et vires eius circumspecte p mū mod? vten

uā purgare uoles & tēpus q̄le sit āne dī medica
 si sit regio feruēs vel feruida ualde minib⁹ herba
 it si tēpericē mediā tenet inter utrūq; rum laxati
 am senib⁹ puerisq; parū donare licebit. uarum.
 atis medie plus his iuuenesq; requirunt
 inguib⁹ et validis plus dandum q̄ macillantib⁹
 ebilib⁹q; uiris magis ingelida regione
 andum q̄ calida duris quoq; labore
 plus illis tribues quos reddunt ocia molles.
 ec circumspectans et cetera talia tractans
 non solum intus dabis hanc: sed quaslibet herbas
 ue purgāt vomitu stomachū ventrē ue resoluunt.
 ed quia de cunctis dixi comuniter herbis
 quo sit dāda mō pprie vulgato docebo q̄lit dāda
 e foliis eius triginta recentia tollēs sit ī speciali
 dde meri tñ quo possunt cūcta recōdi ex pprie hec
 ota nocte mero facias macerātur in illo herba
 dāne terens uino quo sunt macerata resoluē
 unc olus excoctum cum pingui carne recenti.
 porcina prius egroto dat sufficienter.
 t sumat uini quantum uult fortis et albi.
 ic astari succum colatum trade bibendum
 ortibus et magnis est hic numerus foliorum
 sufficiens reliquis / ut diximus: est minuendus.
 iuxta quod vires: et as & cetera poscunt.

¶ De menta. cap. xlvii.

¶ In calidā siccāq; gradu fermēta scō.
 Illius poru vis digestiua iuuatur
 o fortat stomachū vomitū q̄q; detinē hausta p stomacho
 lubricosq; modo depellere fert eodē p lubricis.
 diuersis morbis occurrit testiculor p testiculis
 si foueat aqua qua mēte cocta sit herba p solutiōe
 concretū soluit lac māmīs addita trita lactis
 instillata fugat auri cum melle dolozem mamarū

Ment



Asperitas lingue fugit illa sepe fricate Sapa ē suc
 hausta quecuq; sapa partū solet accelerare c^opirozū
 Trita cais morsū supaddita cū sale curat viridum.
 Hec emoptoicis mirto succurrit aceto.
 Matrici succus si subditur illius ante
 Quam fiat coitus mulier non concipit inde
 Caseolos succus putrescere non sinit eius
 Ad mixtus vel si viridis superadditur herba
 De cipero. cap. xlviii.

Um cipero medicinali dā siccāq; scdo
 Dicit esse gradu. potu depellitur eius
 Calcucus vrine. purgat laxatq; meat^u Pro vrina
 Dicit appollodorus q; pellere possit abortuz

41
 Si mulier foueatur aqua coxerit illum
 Lasserit hic inde consumi posse lienem
 Illius fumus si sepius ore trahatur
 Sise sanus homo fumo subfumiget illo
 Dicit eum fieri firmū magis et leuiorē de firmitate
 Subuenit illarum vicis admixtus oliuo et leuitate
 Succus sic vicū fugat intertriginis vinctū hominis
 Humores nimios purgat sicca sepius haustū
 Illius solus puluis cū melle iugatus
 Alcera mirifice vñ vñera putrida purgat pvlceri
 Si bibiē sñōachū pfortat debilitatū bñ p sñōacipo
 pdropicis multū succurrit sepi⁹ haustū p pdropicis
 Atqz pzinās humores purgat aquosos humorib⁹
 Contrito validū ciperō si iungis acetum
 Alcera q̄ serpunt cohibes medicamine tali.
 ¶ De peonia .cap. xlix.

Peoniam medici calidā siccāqz fatentur
 Hācqz tenere gradū dicūt i vtroqz scōm
 Splē iecur et renes cū mīsa sūpta iuuabit p splene
 Si iūgāt ei violentē amigdala trita. iecore et renib⁹
 Menstrua si purgat et fluxū detinet alui
 Illius in vino decoctio sepius hausta
 Vesice duos siccāt sic sūpta dolores. p dolorib⁹
 Et scotosim sic illa iuuat sñōachiqz dolorē scotosis et
 Heufreticos eadē multū iuuat ptericos p obtenebra
 Calculis infantū potu depellit ei⁹ tō q̄ fit i ocul⁹ ex
 Presuras inferre solent quas sōnia nocte stigie vñ
 Peonie semen bibiē si sepius arcet alio victo ca
 Illius radix pueris suspēsa caducis pitis.
 Mō modicū pdest galienus vt asserit auctor
 Quēdā si pueri narrat vidisse caducū res mirād a
 Etas cuius erat annorū circiter octo p caducis.
 Peonie puer hic radicem ferre solebat
 Appensam collo quadam vice decidit illa

Morq; puer cecidit: solito q; more ligata
 Protinus euasit: galienus vero probare
 Rem plene cupiens radicē denuo dempsit
 De collo pueri cecidit inquit; resumpta
 Cognita vis herbe fuit huius sic manifeste
 Ipse diascorides cunctis ait esse caducis
 Aptam si bibitur. vel si suspenditur illa
 Seminis illius terquinq; rubentia grana
 Cū vino fluxū matricis sūpta cohercēt de matricis
 Algra solēt varios matricū pellere morbos fluxu.
 Si totidem datur cū vino nocte bibenda
 Huius sunt gemine species mas dicitur vna
 Alteraq; minor est spēs: et femina dicta altera spēs
 Radix maioris est palmis longa duabus seu de mis
 Grossaq; sex digitis radix diuisa minoris nori.
 Dicitur in plures radices. hec bene purgat
 Post partum potata steras vino sociata
 In cunctis reliquis similis vis dicitur illis

¶ De barroco. cap. l.

Herbā quā greci dixerunt melisophilos
 Barrocū nri dicūt vulgariter illa
 Pre cūctis apib; grauissima dicit herbis de apib;
 Nec gaudere magis vilius flore videtur
 Contritis foliis apium si vasa perungas
 Non fugient meliusq; facit si lac sibi iūgas
 Anguine cultores retinent examina tali
 Auxilium presens apium fert ictibus illa
 Actus de trita tegitur si protinus herba
 Hocq; mō quos vespa nocet vel arena curat
 Trita solz veteres cōpescere cū sale strūas p strūis.
 Hocq; modo vitus dicunt succurrere sedis
 Femina purgatur decoctio cū sale succo
 Tali discutit et inflatio noxia potu
 Eius viridis decoctio sepe bibatur



Anticos disintericos iuuat et ciliacos & dissiteric
 Asmaticis eadam prodest orthonoicisq; asmaticis &
 Alcera depurgat morbos leuat articuloꝝ orthonoicis
 Verba canis morsus supꝛaddicta cū sale curat
 Eius fomento decoctio mēstrua purgat p mēstruis
 Ore retēda solet dentis sedare dolores p dētibꝫ
 Rumina purgari caligine plinius inquit p oculis
 Eius si succo fuerint cum melle peruncta

De senecione .cap. li.

O Rigeron greci nos senecion vocamus
 Qd canis similis videatur flore capillis
 Nascitur in muris & in ortis & tegulatis
 Illius herbe vis frigida dicitur esse

Grounds

fii



In medicinali radix non ponitur usu
 Flores cum foliis tundens infundito vini
 Per modicum dulcis et sic tepesacta tūori p tūorib?
 Hic simul apponas ani vel testiculorū testiculorū
 Addito tūis istis nervos et vulnera quis p nervis et
 Curabis facile posito cathaplasmate tali vulnerib?
 Nec eadem triti facient eius capitelli
 Potari prohibent quia suffocare bibentem
 Quidam confirmant aut contra plinū aucto?
 ptericis har? potū donasse salutem p ictericis.
 Cum vino dicit talisq? medicari
 Morbis vesice plures ait ille probasse
 Et cordis vicis illā iecorisq? dedisse p corde et

43

Torminib? quoq; cū passo potuq; iuuasse iecore.
 Hoc varios morbos p̄cordia q̄s patitur
 Et viridis hoc si tincta vozetur aceto
 Tritas solz duras hec cū sale spgere strūas p̄stru
 Dāc circūscriptā si quis fodeat in ferro mis duris.
 Et tāgat dētem trib? vicib? ide dolētem p̄ dētib?
 Anaquaq; spuens vice postq̄ repōat eodem
 Quo fuit orta loco si sursū uiuat vt herba
 Plinius vt dicit non amplius ille docebit.
 ¶ De celidonia. cap. lii.



E Sse celidonie species gemine referū
 A medicis sp̄s est maior prima vocata
 Altera x̄o minor oculis medicatur vtraq; p̄ oculis

*The great
Celidonia*

Lecatis pullis hoc lumina mater yrūdo
Plinius vt scribit quous sint eruca reddit
Hanc nasci dicit anibus venientibus illis
Et desiccati solito dum more recedunt
Indeq; nomen habet celidonia nāq; chelidō
Dicitur hec volucris grecorū more vocari
Floretis succus cum melle cocquatur in ere
Igne leui spumam donec proiecerit oēm
Et quasi crassiem mellis decoctio sumat
Utilius nullum dicunt oculis medicamen
Quos caligo nocet si sint hoc sepe peruncti
Conteritur iuncto sibi radix eius aneto
Et sic ictericis cū vino sumitur albo *p ictericis*
Dentibus illatū prohibet cōtrita dolorē *p dentib;*
De foliis eius contusis si cathaplasma
Cum vino fiat maculas abstergere dicit.

long
¶ De centaurea, cap. liii.

Sunt centauree spēs maiorq; minorq;
At supra scriptis dixit de plurib; herbis
Sed q; per paucas spēs cognita maior
Hanc pretermittens, vires narrabo minoris
Quam cunctis notam credo vulgarib; ipsa
Desiccativae virtutis dicitur esse
Nō modicū plagas cōglutinat ide recētes *p plag;*
Inde cicatrices veteres supaddita ducit *recētib;*
Illi qui sciasm patitur decoctio mire *pro sciasm*
Prodest illius si sit subiecta per anum
Sanguine detracto sedat mox illa dolorem
Somēto nervis eadē medicatur egris
Illius succus deducit menstrua sūptus *p mēstruis*
Pellit abortiuū medicamina cūcta maligna
Cū vino sumptū dicunt purgare paluū
Melle sibi iūcto caligine lumia purgat *p oculis*
Illius exprimitur autumnī tempore succus

44
 Quem desiccatum feruētī sole reponunt
 Ad rerum curam quas dicimus añ salubrē
 ¶ De colubrina siue dragōtea. cap. lviij.



Herbā dragōtea grecorū quā vocat vsus
 Hec eadem vulgi lingua colubrina vocat
 Quod calubro sis macro cortice surgit pvenenis.
 Ex quibus antiquis expertū credimus esse
 Quod qat a simili colubrina venena fugare
 Quisquis se trita radice perunxerit eius
 Tutus ab in cursu serpentum dicitur esse
 Moribus illarū cum vino sumpta medet
 Sic iungas oleum cum succo seminis eius
 Aurib? infundens poteris sedare dolorē

Dragōtea

paurib?



hoc succo lanam madidā si narib⁹ addas
 Cōpescens morbum qui polipus est vocitat⁹
 Sic etiam cancris magnū solet eē iuuamē p cācris
 Succo radice ei⁹ caligo fugatur.
 Et variū morbi que lumina perpetuē p oculis
 Ex ipso puro si sint lita melleve mixto
 Et prodest oculis radix si mādatur assa
 Cū pulsa grātis terdenis seminis haustus
 Lumina munda ferunt pulsa caligine reddi
 Si marcescentis illius floris odorem
 Mare trahat pregnās deponere ferē abortū
 Vel si sit radixatrici subdita trita
 Pulvis radiceis etus cum melle iugatus
 Tussim cōpescit sūptus sedatq catharrū p tuss

45
 Et cōfert emoptoicis hoc sepe iuuamē p emoptoicis
 Pectoris humores exhaurit nō redituros
 Omnibus his pdest radix si sumitur assa
 Istud idem facit eius decoctio sūpta
 Eius cū vino radix venerem mouet hausta
 Prouocat vrias flagedenica vñera purgāt p vris
 Si sit ei trite cum melle brionica iuncta
 Vulneris hoc mūdāt sordes strigīa curat p vulnērib⁹
 Sola sibi iūcto maculas depellit aceto p maculis.
 Esse pedū viciū dicunt cui peruio nomen
 Est a pernīcie menbrīs patientis adipsum.
 Plebs dicit mulem solet hęc de frigore nasci
 Omne dragonthee radices decoque. tali
 Pernio deletur si sepius omne lauetur.



¶ De gaisdone. cap. lv.

Altis a grecis ē vulgo gaisdo vocatus
 Nō modicū q̄stum p̄bens tictorib⁹ herba
 De foliis eius tritis fiet cathaplasma
 Vñera magna licet cōglutia atq; cruorē p vñeri
 Illorū sistit. reprimit quoq; tumores bus.
 Sic cū melle teris hanc sordida vñera purgat
 Emūdat maculas et sacro subuenit igni
 Qui si iungens albumen eam supaddas.

¶ De eleboro albo. cap. lvi.



Eleborū geminas spēs testat habere
 Albū qđ sursū purgat nigrūq; deorsū
 Sim. siccā calidāq; tenet et tertius illis

si in utroq[ue] gradus nigro violētius albu
icitur unde prius dicam de viribus eius
uppositū quoq[ue] modo depellit abortum
aribus attractus sternutamenta mouebit

17 puluis capitis pellentia morbos p morbis
Discetur confecturis q[ue] lumina purgāt capitis.
t multum prodesse ferunt vicus oculoꝝ p oculis.
pultib[us] admitt[ur] mures puluis necat ei[us] p murib[us].
t cū lacte datus est muscis p[ro]nitiosus p muscis.

vicunt p[ro]vomitum varios educere sūptū
umores veteresq[ue] ferunt pellere morbos
durgatur et tali vomitu vertigo vetusta p x[rist]igie
infans melācolicis valet atq[ue] caducis de infans
sepeq[ue] curat sumpto lymphaticus isto melācolicis
dropicis in p[ri]ncipio mire medicatur et caducis.

infidat leprā tetanū fugat atq[ue] podagrā tetan[us] est
ōfirmat tremulos redeūtia tormia curat p[er]tractio
diuersis vicis s[er]uāchi sciasq[ue] medet[ur] neruoꝝ cerui
t tussi veteri febrib[us] sup[er] omnia pdest c[on] q[ui] nō pōt

Quartanis annis iā plurib[us] iueterat[ur] moueri hō i
ingenti cura sūpturū plini[us] istum de ep[ist]itauus q[ui]
ldmonet vt septē se preparat añ dieb[us] t[em]p[or]e i[n]clinat[ur]
umectisq[ue] cibis corp[us] bene tēperet o[mn]e q[ui] nō pōt se
ec sero tenet qui debet sumere mane erigere exi[us]

et q[ui] sumet iubet explorare serenē t[em]p[or]e q[ui] sursū
t calidā clarāq[ue] diemvētrisq[ue] carēt detin[et] caput
b[er]uare quidā curā si p[re]uenit istā ita q[ui] neq[ue]
passurū nimios affirmat eum cruciatus i[n]clinari.
elleborum iubet in pultibus antea coctū

In lente dari sic dicit non nociturum
Docq[ue] dari p[ro]hibet senib[us] puellisq[ue] tenellis
Pollibus ⁊ t[em]p[or]idie animiq[ue] viris m[ul]ieb[us]
Et macris nimitū dicit non accip[er]endū
In Succotifane vel mulsā pane ve coctum

Sumere precipiunt alii. sic vtile sumere dicunt
Philo composito fert scripsisse libello p acceptis
Qualiter elleborū sit nobis accipiendū ellebori
Inq3 suis ipocras amphorismis istius herbe
Soliū meminit quam nouerat vtiliorem
Plures scripserunt hui3 de viribus herbe
Et quo sit sumenda modo docuere qbusq3
Non tamen inueni qplura voluīa voluēs
Allū qui certum pōdus donare iuberet
Illius dixisse satis se credo putabunt
Cum iuxta vires etates tempora dādum
Fussissent michi vero satis non esse videtur
Tutum rem subitum q cōfert sepe periculum
Commandare dari cuiq3 sine pōdere certo
Plinius vt scribit hemisson donare solebat
Ellebori dragmas gemias tribuisse sequētes
Bis binas etiā confirmat nō tamen ipse qualis sit
Pōdere q iubeatumi statuisse videt dādū ellebori
Cū tñ ellebori nigri iubeat dare dragmā rū scōm
Quatuor aut scrupulos michi significare videt pō
Albi dimidiū pondus tantūmodo dādū das
Quod longe nigro violenti3 esse fatetur.

¶ De elleboro nigro. cap. lviij.

Elleborū nigrū non est adeo violentū
Hec formidādū quā si qd diximus albū
hoc quo picipiunt veteres i lente coquēdū
Aut in vissellis sic infensis medicari
Assumptū dicūt et sic pdesse podagre p podagris
pdropicis mota febre dicitur auxiliari p dropicis
Miram sentit opem sūptoparaliticus illo
Et varios bibitum morbos leuat a rticulorum
Eduxit coleras varias et flegma paluum
Elixature potu caligoq3 fugatur duritie sup
Euritias suppuratas factū cathaplasma purate d

47
 Cōcoquit ⁊ purgat vacuat cū rigia collo cū q̄ sub
 infusus modicū radicis surculus ei⁹ hoīez in aliq̄
 postq̄ dies geminos sit surcul⁹ ille reoī⁹ mēbros
 videā quā dederit contrito iūge farinam īferi.
 dropicis tumor appositis siccabit istis p̄ tumorē
 Destrua suppositū purgat depellit abortū. ydropi
 auditū reddit si surdis aurib⁹ illud cū p̄ auditus
 imponas ⁊ post bīduū trīduūve repellas restitutiōe
 Appositū tollit maculas ei⁹ cathaplasma
 Emūdat lepras scabies quasq̄ repeilit p̄ lepra ⁊
 Ore diutentum quo coxeris illud acetum scabie
 Dentis non modicū dicūt sedare dolorē
 Ellebori nigri precepit plīnīus vnam



Donari dragmam leuiter sic pmouet alius
 Plusq̃ iis binos obolos vetat accipiendū.
 ¶ De verbenā. cap. lviij



Verbenā gerobotanū pestiferūq̃
 Appellant greci spēs hec ferē habere
 Binas effectus est idem pene duabus
 Cū vino iuuat yctericos si sepe bibat p yctericiis.
 Pestiferos mors⁹ curat supaddita trita p morsu
 Cū vino remouēda qdā per quatuor ista pestifero.
 Est medicia dies oris bñvīnera purgat p vīnerib⁹
 Illius succus tepidus si voluitur ore
 Hoc quoq̃ facta recens herbe decotio pstat
 hac etiam quouis putredo repellitur oris

48

Si tepefacta dñu voluatur fauce sonora
 Glutinat herba recens vulnus supaddita trista
 Occurrit cunctis cū vino sūptavenenis
 Que fuit alteri? febris accedēda dieb? p febrib?
 Pellitur hac tribus assumptis radicib? ei?
 Cū totidem folius potetur aqua resoluta
 Ista prius pauens q̄ frigus sentiat vllum
 Hocq; modo febribus quartanis illa medet
 Bis binos folius cū tot radicibus haustis
 Illius in vino si sit decoctio facta
 Conuas hilares inter cōiuiua spersa
 Reddere narrat vt iā p̄scripta buglosa p cognitiōe
 Hāc herbā gestādo manu si q̄ris ab egro mortis aut
 Dic frater quid agis bñ si rñderit eger vite patiētis
 Auget si vero male spes nulla salutis
 Ex hac cōpositā quidā iussere coronam
 Apponi capiti causa quacunq; dolenti de dolore
 Sic dicunt illam celerē p̄ferre medelā capitis.
 Plinius affirmat hāc omibus esse salubrem
 Aiscerib? lateris iecoris morbisq; q̄rel? p variis in
 Pectoris et vicis r̄ p̄cipue medicari firmitatib?
 Pulmonū causis hāc asserit ille ptisiq; p pulmone
 Parotidas rep̄mit ad ipa cōmixta vetusto p paroti
 herbā cui nomen folius de mille dedere dis.
 Betonicā que pari verbene pōdere iūge
 hec mixta potentur aqua nullum medicamen
 Atilius credunt illis quos calculus angit
 Non modicū laudare magnos hāc asserit herbā
 Plini? hanc cūctis dicūt ob̄sistere morbis p morbis
 Et quodcūq; petet hac impetrare pūctum
 Sic et amicitias captari posse potentū
 Et pelli febres plurima talia fingunt
 Que q̄uis natura potens concedere posset
 Vana tamen nobis et inania iure vidētur



Germãdrea grece q̄ germãdrea latine
 Dicit̄ hanc herbã calidã siccãq̄ fatent̄
 Tertius ñ n̄ vtroq̄ gradus depellit abortũ
 Si mixta potetur aqua tussiq̄ medet̄ p̄ tussĩ
 Conquassata iuuat si mixta bibatur aceto
 Splen secat purgat cũ vino mēstrua sũpta p̄ spleue
 ydropi cis in p̄cipio sic sũpta medet̄ ⁊ mēstrua
 Sic quoq̄ pestiferis occurrit morib⁹ illa p̄ ydropi
 Tunc it̄ predictis prodest superaddita trita cis
 Sordens purgabit vuln⁹ licz iueteratũ p̄ vulnerib⁹
 Si cũ melle teras et trita de supaddas
 Germãdrea oculi succo cum melle perfecti

49
 Dicuntur clari dempta caligine reddi
 Si tritam misces oleo corpusq; perungas
 Mellet frigorem reuocabit et ipsa colorem
 ¶ De maurella. cap. lx.



Herbā quā greci strigū dixerē latini
 Maurellā dicūt vis ei? frigida valde ē
 Dicitur auricule mire sedare dolorem p auriculis.
 Illius succus si sensum funditur intus
 Egilopas strigui dicūt cathaplasma mederi
 Istud idem dicunt capitis pdesse dolori pro dolore
 Una cū striguo si sal panisq; terantur capitis.
 Parotidas reprimat cathaplasmatibus addita more
 Strigui prurigo depellitur illia succo
 Succus suppositus fluxū stringit m libzē

si

Contritis et foliis coniunge polentem p fluxu tū
 his sup appositis sacer ignis et herpeta mordax liebz
 Dicitur expelli si vero iunxeris istis p sacris igni
 Argenti spumam cerusam oleumq rosarū bus.
 Fortius et melius predictū sit medicamen
 ¶ De iusquiamo siue de caniculata. cap. lxi



in cane.

Iusquianū greci quā nri caniculatam
 dicunt huic herbe xtus est frigida valde
 Tres hz hec spēs semen pfert por album
 Altera subrufum producit tertia nigrum
 Nobilior reliquis est semen que gesserit albū
 Pro quo si desit mos est aponere rufū p omnibus

5
 Malignū vero frequēs medicorū respuit vñ tūorib⁹.
 Insquāmi folus contritis aīde polentam
 Nec adibendo potes quosuis curare tūores
 Sic mira calidā potes frigidare podagrā p̄ poda
 Flurib⁹ infus⁹ vermes succus necat ei⁹ gris p̄ dolo
 Illarūq̄ solet varios leuare dolores re aurium.
 Ore diu tepidum si contineatur acetum
 Quo sint decocte radices illius herbe
 Dicitur immodicū dētis peccare dolorē p̄ dolore
 Expressus succus contritis seminis eius dentium
 Uticosum calidumq̄ pōt cōpescere reuma
 Si fuerint oculi patientis sepe peruncti
 Seminis illius obolus cum semine mixtus
 Miconis pariter cum mulsā sumitur illis
 Utiliter fluxū matricis que patiuntur
 Et dicūt emoptoicis sic posse moderi p̄ emoptoic⁹
 Vel quoq̄ modo sanguis iactetur ab ore
 Dicitur hic potus medicari sepius haustus
 Cū vino tritum semen cathaplasma factum
 Māmas et testes dicunt curare tumentes p̄ tumore
 Emplastris multis apponitur antidotisq̄ māmax
 Infert sicut olus comestacq̄ munera vite
 Prestat idem succus in quouis vulnere fusus.

¶ De malua. cap. lxii.

Dixerunt malua veteres q̄ moliat aluū
 Esse cacositōacā sext⁹ uiger asserit illā
 Atq̄ diascorides tñ interioribus ambo p̄ mollifi⁹
 Sumpitū sicut olus multum pdesse fatent do aluū.
 Et sic vesice dicunt illam medicari pro vesica.
 Sicq̄ venenosis occurrere potibus illā p̄ potu ve
 Mi quoq̄ affirmant malue folus salicisq̄ nenoso.
 Exequo tritis citius meliusq̄ cruentum
 Sanari vulnus emplastris q̄ pretiosis p̄ vulnerib⁹
 si



Addunt auctores ipsi quod malua potenter
 Conquassata iuuuet adipi commixta vetusto
 Anus caulis radix admota dolori
 Dentis sedat tñ venerē stimulasse fiat p dentibus
 Nec eadem femori si lino aduexa geratur.
 En lana nigra tectam si gesserit illam
 Femina mamarū dicunt occurrere morbis
 Scripsit abortiuā thebanis olimpiū illam,
 Si resolutus adeps miscebitur anseris illi
 Et sic subdatur veluti pessaria vulue
 Cōtritis foliis illius cum sale paucō
 Egilopas pelles succoq; medeberis ei p egilopis
 Puncturis apii cui sit cōiungis oliuū p pu cturis

52
 Corpus ⁊ inde linas apium tenulla nocebit apium.
 Decoctam locio capiti sup addito maluam
 Sic turpes acoras pelles furfurqꝫ nociuū
 Decoctis ex foliis si iungis oliuum
 Extigues ignē sacrum cathaplasmate tali p sacris
 Et combusturis illo bene subuenis illis. ignibus
 Durittas stericas eius decoctio mollit
 Intestinoꝝ causis matricis et ani
 Hec eadem mire pdest si subditur illis.
 ¶ De pericella. cap. lxiij.



Herba solet lapathi vlgō picella vocari
 Illius spēs dicitur quatuor esse
 Par tamē est farine vis oibus in medicina

Omnibus est illis feruens austeraq; virtus
 Unde quidem stomachū cōfortat sūptasol3q;
 In stomacho clausū pruci? pellererētū p stomacho.
 Sūptaq; sicut olus fertur astrigere vētrē p ventre.
 Pruritus mordax scabiesq; cutis laceratrix
 Illius tepida cedunt apoximate facto
 In viro cocte radices et bene trite.
 Apposite scrophas cōpescūt perotidas p scrophis
 Eius. sepe tepens si coctio gargarisetur
 Quas sedabit timidas dētisq; dolorem p dētibus
 Hoc dissitericos potu iuuat ⁊ ciliacos p dissitericis
 Pellit hac tepida dolor auris si foueat p aurib;
 Decoctas valido radices eius aceto.
 Et tritas spleni supaddas sepe tumētī p splene.
 Quāuis nō modicū reprimetur siccādo tūorē;
 Cum vino vel aqua radicum coctio facta
 Mēstrua restriget potu lapidesq; repellit p mēstruis
 Nec eadē iuuat yctericos suspēsasq; collo et lapidib;
 Illius radix scrophas nasci prohibebit. p ictericis
 ¶ De lolio. cap. lxxviii.

Humētis nocuā loliū grecus vocat herbā
 Quā nri dicūt vulgari noie nigellam
 Lācros emūdat nascētis vulnera curat p cācris.
 Cū raphano modicoq; salis supaddita trita
 zernas et lepras cura conpescis eadem pro lepra.
 Sulphure cū vino purgamentisq; columbe
 Ad misce f olium semen quod lilia prebent
 His iūgas hec cocta mero supaddita scrophis
 Sic scrophas spergit sic apostemata rūpit p fractis
 Duritias q̄ alias emolliet hoc cathaplasma oē apo
 Malsa decocta cum vino thure crocoq; scātū.
 Apponas core scias si quam vexat iniqua
 Parturiens mulier si se subfumiget illa p partu
 Asseritur citius vētris deponere pōdus mulieris.

52
 Argenti spume commiscens hanc adiptos
 Hippas calide cathaplasma salubre podagre
 Et p se tali multū prodesse probauit. p podagris



¶ De sicuta. cap. lxxv.

H Rigida letifer vis est natura sicute
 An negat gelidi potate more veneni
 Quia pit ha herba cuius sit maculosa
 Unde genus mortis valet hoc p signa pbari
 Publica pena res hec esse solebat athentis
 Hac supra magnus socrates fuit examiatas
 Qualiter hoc fiat non extimo dicere nrm
 Cum nil qd noceat sz quod iuuat e referendu
 Hac supra si quis morti sit primus herba

Hamlock



Sorte merum tepidum bibat euadetq; piclū
 Sed quis potu solet hec assumpta nocere
 Magnifice tamen apposita solet illa iuuare
 Estuas mire iuuat epiphoras oculorum
 Si frons contritus foliis sit operta virentis
 Vel si sint eius circūlita lumina succo.
 Hac quoq; pellitur sacer ignis et herpeta mordax
 Tradit a nasillas si succo sepius eius
 Virgo linat mamas sibi cū egescere p̄mū p̄māmis
 Incipient modicas semper stātesq; manere
 Lac tritavirēs māmīs supaddita siccāt p̄ desicca
 Extiguit venerē fluxū quoq; semis oēm tiōe lectis.
 Si pecten trita cathaplasmos sepius illa.

53
 Argenti spume cōmissens hanc adipeq
 Appōas calide cathaplasma salubre podagre
 Et p se tali multū prodesse probauit p podagris
 Singula qd memorē nociuū quēcūq; calorē
 Opposita trita poteris curare cicuta
 ¶ De pipere. cap. lxxvi.



Piper
 Q Armine iā dictis aliquot v̄garib⁹ herbis
 Hūc spēs illas q̄s cūctis iā sepe notas
 Usus medendi feci, tentando r̄ferre
 Atq; prius piperis quod nocius ipsa coqna
 Quam medicina facit vires puto discutiēdas
 Virtutis sicce piper asserit calideq;
 Tres sūt huic spēs albū lōgūq; nigrūq; tres spēs

Sed qz sūt gemie medicis tātūmodo note piperis
 De specie nigra dicā quedā michi nota & spē nigra
 Crudū vel coctū sumptū vel melle iugatū
 Pī digestiua stomachi secorisq; iuuabit p̄digestiōe
 Morsus pestiferos curat fastidia tollit p̄morsib;
 Occurrit variis thoracis sepe querelis pestiferis;
 Quocq; mouere frigus solz p̄ tōdica febz; p̄febrib;
 Compescit et febris si sumitur añ trēozem
 Cum lauri baccis vel cū foliis bene tritis
 Quq; mero tepido potatū tormina sedat
 Et scrophas rep̄mit admixtū cū pice dura p̄o sero
 Et superappositū recte quocq; iūgitur illis phis.
 Que purgare solent oculos caligine dura p̄ oculis
 Admixtū nitro maculas cathaplasmate delz
 Asti stercozis humani cum puluere tritū
 Ana iunge piper et sic supaddito cācria p̄cācria.
 Experti nichil vtilius hoc puluere dicunt
 Nemo potest oēs piperis describere vires quo fini
 Hāq; pip̄ fern̄ e medicamīa cūcta redrūt te sūt pī-
 Antidotisq; solet preciosis plurib; addi perisvires
 Hinc puto tā paucis laudes & simplice dictas
 Qd sit innumeris hoc dignū laude medelis

¶ De piretro. cap. lxxvi.

Est piretrū calidū siccūq; qrt; i istis
 Est qd; exerceat dentis si frig; hūoz p̄dētib;
 Mastice hoc patiens teneatq; diutius ore
 Et iuuat admixto si gargarietur aceto
 Hocq; modo tumidā rep̄mit de flegmate ligū
 Sic vnā releuat humoris pondere p̄ssam
 Et multis aliisviciis sic subuenit oris
 Mōmodicū p̄dest sūptū cū melle caduc; p̄caducis
 Sicq; leuare solet morib; q; mēbra resoluit
 Suspēsum collo p̄eris p̄odesse caducis
 Creditur et solo succurrere fertur odoze.

Ex oleo quo decoquitur si corpus inuigas
 Ante febris motu minuet tolletq3 rigore p febrib3
 Venū sepe graue fugat vnguē tale dolore p dolore
 Quirā sentit opem paralyticus ide perict3 renum.
 Non leuiter fuerit manib3 si sepe fricat3 p palitice
 Anguine si totum corpus mulcebitur isto
 Largus per poros sudor procedet apertos
 Membrozū solet hoc quāuis curare stupore
 Et corpus seruare potest a frigore tutum.
 Et medicamento soluetur tetanus isto
 Tantūdem prodest si tritū soluis oliuo
 Sitq3 fricādo locū quāuis medicare valebas.

¶ De gignbere. cap. lxxviii.

Agiber atq3 pip equ aies i medicina p pip sūt eq
 Dicūt hac causa taceo de virib3 ei3 les i medi
 ¶ De cumino. cap. lxxix.

Cumini

Se putat calidū siccuq3 cuminum
 Tertius est illi grad3 in virtutib3 istis
 Sumptum quoq3 mō depellere tradunt
 Iscera vexatē vetū stōachūq3 quētē p expulsiōne
 Digestiuū stomachi iecorisq3 calore veti a sto
 Excitat et veneris credūt inhibere furore macho.
 Fluxū ventris in aceto stringere coctum
 Et orthonoicis miram p̄stare medelā p orthonoicis
 Et q3 venenosus cū vino morib3 ipsū p morib3
 Aperti dicūt cum pusca sepius haustū venenosus.
 Rebet opem tritū fabe cū poline iūcto
 Belle tepere solet testes currare tumētes p thore
 Positū sistit cum pusca mēstrua sūptū testiculor
 Cūt pallētem mansū dare sepe colorem

¶ De galanga. cap. lxx.

Galangal

Regmonē stōachi sūptum galāda rescāst
 Et si flēatic3 fuerit corroboret illū
 Clusum ventū sumptum fugat interiorum

Al digestiva suvat hoc colicis q̄ medet̄ v̄tri i lterio
Oris non modicu m̄ssu cōmedat odorē rib⁹ iclusi
Augmētat sūptū venenis renūqz calorē p̄calore res
num.

¶ De zedoar. cap. lxxi.

Ad primū sūptū zedoar obstare venenis
Affirmāt et reptiliū mors⁹ leuat haustū
Sūptū cōfortat stomachū ructusqz salubres
Commouet et crebro fastidia rep̄mit vsu
Antiquū stomachi dicūt curare dolorē p̄atūqz dolo
Illud si patiens ieiunus massicet ore rc stomachi
Et sic infectā sensum voret ore saluā p̄expulsione
Lumbricos v̄tris depellere dicūt haustū fetoris ab
Allis quē faciunt fetorē pellit ab ore ore tam viui
Et nimiu bibiri vini depellit odorem. quā aliorū.

¶ De gariofilo. cap. lxxii.

Gariofilū dicunt calidū siccūqz secūdo
Esse ḡdu iecur ⁊ stōachū coroborat haustū
Et terne cūctis valet interiorib⁹ ipsū p̄corroborā
Accendit venerē si dragme pōdere tritū tiōe stōachi
Potatum fuerit cum vacce lacte recenti
Aim memorē cerebri p̄fortat sepius haustū.

¶ De cinnama. cap. lxxiii

Cinnama tres spēs dicūt h̄re s̄z h̄az tres sūt spe
Est p̄ciosa magis q̄ pl⁹ subtil⁹ habet cles cina.
Et q̄ pl⁹ mordet mixta dulcedie liguā momi q̄z sub
Humores stōachi siccāt coroborat ip̄z tilior ⁊ dulci
Et facit acceptas vt digerat p̄tin⁹ escas oz melior ē
Sūptū curare par loculisqz mēsiua purgat aliis
Humida tussis eo sedabit atqz catharr⁹ pro tussi.
p̄dropicis speciem cui p̄bet tipana nēmē p̄dropic⁹
Sūptū nō modicu rep̄mit renūqz dolorē p̄dolorē
Reptiliū morsus curat si iūgit illis bus renū.
Que curant oculos humores siccāt aq̄sos p̄oculis
Si bene cōtritum forti miscetur aceto p̄lētigina

53
Liberat appositū terra lentigine vultū vultus.
Sicq; iuuat morbu d ducit ab ipete nomē emorroy
Grossa magis spēs flux? emorroydaz de dñr illiq
Strigit aqua gelida bñ si cōtrita bibat patiūt fluxū
Tempore quo nūdū patiens ieiunia soluit sāguis in
De specie gemias hec querit potio dragmas ano
¶ De costo. cap. lxxiii

Quoniam sūt gemie species gūis vna rubēsqs
Est et amara nimis hec indica dē esse
Altera vero leuis nec amara colore sub alba
Hanc arabes mittunt prior vtilior medicie
Arinas purgant et eis obstantia pellunt p vrinis
Splen curant et ep ar laterisq; fugare dolorē
Dicunt cum vino tepido si sumpserit eger
Mēstrua purgabūt si se subfumiget illis p mēstruis
femina sic etiam vuln? sedare dolorē p dolorib?
Dicūt. aut ex his sibi si pesaria subdat vulue
Limbricos pellunt: purgant lētigine vultum
Si tritis cum melle linas venerēq; mouere
Dicuntur. si sint cum mulsā sumpta tepēti
Ex oleo costum quo coxeris illine qūis
Ante febris tipū reddas a frigore tutum p febrib?
Subuenit hoc scias si mēbrisq; tumētq; vngūē
Antiquū vulnus cito curat puluis eorū p antiqua
¶ De spica cap. lxxv. vulneribus.

Sse gradu primo calidā siccāq; piti
Testatur spicā que dē indica nard?
Cōfortat potata iecur sōachiq; dolorē p dolorib?
Ditigat et renes illi? apozima purgat iecoris et sto
essicā iuuat vrinās et mēstrua pellit machi.
ctericiis pdest nocuis humorib? obstat p ictericis
Quos caput ad pectus trāsmittit sepe per vnā
duncturas aufert et morsus interiorum
a stomacho clausū solet hausta repellere vētū

Costo

Spica nard

Matricis nimis refrigit subdita fluxu p expulsi
Lū gelida si detur aqua sedare tremore veti a si
Dicitur hec coctis et nauseasistur inde mach
Exitat hec venerem cū sepe sūpta liquore
Duritias stericas elixatura resoluit
Eius fomento per partes inferiores
Lumina si tepida foueantur sepius illa p oculis
Affirmani acri prurigne libera reddi
Palpebreq; pili bene cōfortantur eadem
Est nardi species que celica ipica vocatur
Celarum tantum quod nascitur i regione
Brania que nard? valet indicadicatur ista
Pelle licet vires videatur habere minores
¶ De thure, cap. lxxvi.

Thus calidū siccūq; gradu dixere scdo
Lumina clarificat lacrimo si soluit oui
Cōtritum vel femineo cum lacte repēti p ocul
Acri cum vino tritū pice lacteq; mixtis
Vulnera precipue curare iecētia dicūt p vulneri
Pinguī porcino coctū medicabitur istis
Admixtū melli plantaria decutit, vnguis
Thus bene contritum vinoq; tepēte solutū
Affirmani auri multū prodesse dolēti p dolo
Tritū cum creta thuris olea succoq; rosato aur
Admixtū māmas dicūt curare tumētes p mām
Nil credūt emoptoicis magis auxiliari tumētū
Admixto vino si sumatur vel aceto
Thus cum lacte teres muliebris si supaddas
Ulcerib? fieri que sepe vidētur in ano p vulcerib
Aut alio quoq; loco medicabitur illis veniētū
huic aloe iungens lacrimūq; albuminis oui i ai
Sic ut sit spissum secte supaddito vene
Aut his vulneribus nimioq; sāguie manāt
¶ et solues nisi cū credes diuisa coisse

